

AUTEL®

GENERAL CATALOG 2026

This catalogue replaces previous editions of the Autel Europe general catalogue
This edition is valid until 30 September 2026, inclusive

For more info, visit
www.autel.eu

PRODUCT LINES SUMMARY

MAXISYS
ADVANCED DIAGNOSTIC SOLUTIONS 6

MAXIFLASH
REMOTE DIAGNOSTICS & ECU PROGRAMMING 21

MAXIDAS
PROFESSIONAL DIAGNOSTIC TABLETS 24

MAXICHECK
EVERYDAY DIAGNOSTICS & SERVICE 29

MAXIDIAG
COMPACT DIAGNOSTIC TOOL 33

ADASCALIBRATION
ADAS CALIBRATION SOLUTIONS 36

MAXIALIGN
WHEEL ALIGNMENT SOLUTIONS 76

MAXIIM
IMMOBILISER & KEY PROGRAMMING 79

MAXITPMS
TPMS DIAGNOSTICS & SERVICE 90

MAXIEV
POWER BATTERY EXPERT 102

MAXIBAS
BATTERY & ELECTRICAL SYSTEM TESTING 106

MAXIVIDEO
VISUAL INSPECTION SOLUTIONS 114

AUTEL

EXPLORE THE FUTURE OF ADVANCED DIAGNOSTICS

Autel develops professional diagnostic and workshop solutions for the automotive aftermarket, covering diagnostic tools, ADAS calibration, TPMS and tyre shop solutions, immobiliser and key programming, and battery diagnostics, across both passenger and commercial vehicles, petrol, diesel, and electric.

The automotive aftermarket is undergoing a fundamental shift. Workshops are no longer evaluated solely on mechanical expertise. Today's service professionals are expected to diagnose complex electronic systems, navigate an expanding landscape of vehicle software, and turn around jobs faster than ever before. The margin for error is narrowing, and the cost of the wrong tool is measurable.

Having operated in this industry since 2004, Autel has developed its product portfolio in step with these changes. From the early adoption of OBD diagnostics to the current demands of ADAS, EV systems, and connected vehicle platforms. That accumulated experience informs both the products in this catalogue and the direction of what comes next.

Product development is supported by sustained R&D investment, drawing on a globally integrated engineering and development process that brings together technical expertise across markets. The result is a product roadmap shaped by workshop realities rather than technology for its own sake.

Beyond the product itself, Autel operates through an established distributor and dealer network across Europe, with structured training programmes and access to remote diagnostic support, providing the operational infrastructure that aftermarket professionals and their supply chain partners increasingly require.



AUTEL

LINE MAXISYS

ALL FUNCTIONS IN ONE TOOL

The MaxiSYS line represents Autel's most advanced diagnostic platform – the connected core around which the broader workshop tool ecosystem operates.

MaxiSYS tools are capable of OE-level functions, with integrated remote expert service and enhanced wireless Bluetooth connectivity to facilitate movement around the vehicle during diagnosis.

The vehicle communication interface (VCI) connects to the tablet via the Bluetooth Class 1 Long Range system. Once the wireless VCI is connected to the car, the technician is the connection with the vehicle, and wireless connectivity allows for updates to the latest software versions with better vehicle and feature coverage.

The line also includes AutoScan 2.0 technology, which brings an ultra-fast and highly efficient scanning experience.

The MaxiSYS line continues to evolve in step with how diagnostic work is changing. Across the range, this progression is reflected in the introduction of guided procedures – translating procedures, operational steps, and results into user-friendly, visualized representations. This approach reduces the margin for interpretation error, supports more consistent outcomes across skill levels, and positions the workshop for the operational standards that vehicle complexity and digitalisation are making increasingly necessary.

All this allows the technician to provide a complete service to their customers, in full autonomy, completely free to move around the workshop while maintaining full control of the diagnostic process, from first scan to final report.





MAXISYS ULTRA S2

The MaxiSys Ultra S2 is Autel's latest generation flagship diagnostic tablet, designed to significantly enhance technician efficiency and lower the barrier to fault diagnosis. It features a 13.7-inch anti-glare touchscreen, runs on the Android 13.0 operating system, and is powered by an up to 2.7GHz octa-core processor with 512GB storage. It allows technicians to free their hands, simplify navigation, and improve operational efficiency. The innovative Digital Vehicle Inspection function enables comprehensive digital documentation of incoming vehicle status. The newly redesigned topology map provides clearer ECU location guidance and adds ECU network PING function. The all-new MaxiFlash VCMI2 features upgraded insulated housing, a more compact design, and integrated access to remote expert support.

FEATURES:

- AutoScan 2.0
- 6-in-1 VCMI2
- Charging Dock
- Digital Vehicle Inspection
- Graphical diagnostics
- ECU Topology mapping
- ECU Location Guidance
- Live Data & Oscilloscope Cross-Running
- Coding
- J2534 OE Programming Compatible
- Guided Functions
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 13
MEMORY	512GB
RAM	12GB
BATTERY	20000mAh
DISPLAY	13.7 inches

OPTIONAL FEATURES

- ADAS CALIBRATION & WHEEL ALIGNMENT
- EV DIAGNOSTICS
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MATCHING TOOLS



OBD ADAPTER SET
MSOBD2KIT



OSCILLOSCOPE SET
MSOAK



EV DIAG BOX & ADAPTERS
EV DIAGNOSTICS UPGRADE KIT



MAXISYS MS919 S2

The **MaxiSys MS919S2** is the second product in Autel's latest generation of flagship diagnostic tablets, designed to significantly enhance technician efficiency and lower the barrier to fault diagnosis. It features an 11-inch high-contrast touchscreen, runs on the Android 13.0 operating system, is powered by up to a 2.7GHz octa-core processor, and comes with 256GB of storage. With the brand-new AI voice assistant, technicians can free their hands, simplify navigation, and improve operational efficiency.
Its advanced features — from graphical diagnostics to Diagnostics+X split-screen and Network Topology 3.0 — are designed to deliver fast, efficient, and accurate troubleshooting.
The all-new **MaxiFlash VCMI2** features upgraded insulated housing, a more compact design, and integrated access to remote expert support.

FEATURES:

- AutoScan 2.0
- 6 in 1 VCMI
- Digital Vehicle Inspection
- Graphical diagnostics
- ECU Topology mapping
- ECU Location Guidance
- Live Data & Oscilloscope Cross-Running
- Coding
- J2534 OE Programming Compatible
- Guided Functions
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 13
MEMORY	256GB
RAM	12GB
BATTERY	15000mAh
DISPLAY	11 inches

OPTIONAL FEATURES

- ADAS CALIBRATION & WHEEL ALIGNMENT
- EV DIAGNOSTICS
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MATCHING TOOLS



OBD ADAPTER SET	OSCILLOSCOPE SET	EV DIAG BOX & ADAPTERS
MSOBD2KIT	MSOAK	EV DIAGNOSTICS UPGRADE KIT



MAXISYS MS909 S2

The MaxiSys MS909S2 is an 11-inch touchscreen Android-based advanced diagnostic tablet.The MS909S2 sets a new benchmark for efficiency and accuracy with upgraded hardware and advanced diagnostic features that deliver near OEM-level diagnostics and service capability.

FEATURES:

- AutoScan 2.0
- VCI2
- Digital Vehicle Inspection
- Graphical diagnostics
- ECU Topology mapping
- ECU Location Guidance
- Coding
- J2534 OE Programming Compatible
- Guided Functions
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 13
MEMORY	256GB
RAM	12GB
BATTERY	15000mAh
DISPLAY	11 inches

OPTIONAL FEATURES

- ADAS CALIBRATION & WHEEL ALIGNMENT
- EV DIAGNOSTICS
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MATCHING TOOLS



OBD ADAPTER SET
MSOBD2KIT



EV DIAG BOX & ADAPTERS
EV DIAGNOSTICS UPGRADE KIT



MAXISYS ULTRA

The MaxiSys Ultra is one of Autel's most ambitious diagnostic tablet designed to maximize technician efficiency. It features a 12.7-inch touchscreen tablet with Android 11 OS powered by an Octa-core processor (2.3GHz Quad + 1.7GHz Quad), substantial 256GB built-in memory, all powering the new split-screen multi-application navigation to test components to confirm repairs.

Combined with the dynamic topology module mapping, enhanced AutoSCAN features, the Ultra offers the technicians advanced diagnostics. The MaxiFlash VCMI functions as a 4-channel oscilloscope, waveform generator, multimeter, and CAN BUS tester. The convenient docking station featured ensures you always have the power to scan.

FEATURES:

- AutoScan 2.0
- 5 in 1 VCMI
- ECU Topology mapping
- Coding
- J2534 OE Programming Compatible
- Guided workflow
- Remote Expert
- Multi-Task Split-Screen

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 11
MEMORY	256 GB
RAM	4GB
BATTERY	18000 mAh
DISPLAY	12.7 inches

OPTIONAL FEATURES

- ADAS CALIBRATION & WHEEL ALIGNMENT
- EV DIAGNOSTICS
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MATCHING TOOLS



OBD ADAPTER SET	OSCILLOSCOPE SET	EV DIAG BOX & ADAPTERS
MSOBD2KIT	MSOAK	EV DIAGNOSTICS UPGRADE KIT



MAXISYS MS919

MaxiSYS MS919 is a 9.7-inch touchscreen Android-based advanced diagnostic tablet powered by an Octa-core processor, 128GB memory and features the MaxiFlash VCMI, a 5-in-1 communication and testing tool providing wireless vehicle communications between the vehicle and tablet and supporting the latest DoIP, D-PDU and Mega CAN vehicle communication protocols.

The VCMI also functions as a 4-channel oscilloscope, waveform generator, multimeter and Can BUS tester. The MS919 features dynamic topology module mapping for supported vehicles, and Oscilloscope preset guides and tests and waveform library.

The MS919 features a rechargeable Lithium battery proving 8 hours of continues use, and front and rear cameras.

FEATURES:

- AutoScan 2.0
- 5 in 1 VCMI
- ECU Topology mapping
- Coding
- J2534 OE Programming Compatible
- Guided workflow
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 10
MEMORY	128 GB
BATTERY	15000 mAh
DISPLAY	9.7 inches

OPTIONAL FEATURES

- ADAS CALIBRATION & WHEEL ALIGNMENT
- EV DIAGNOSTICS
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MATCHING TOOLS



OBD ADAPTER SET
MSOBD2KIT



OSCILLOSCOPE SET
MSOAK



EV DIAG BOX & ADAPTERS
EV DIAGNOSTICS UPGRADE KIT



MAXISYS MS909

The MaxiSYS MS909 is a 9.7-inch touchscreen Android-based advanced diagnostic tablet powered by an Octa-core processor, 128GB memory and features an advanced VCI supporting latest DoIP, D-PDU and Mega CAN vehicle communication protocols.

The MS909 features topology module mapping capability for supported vehicles. The MS909 features a rechargeable Lithium battery providing 8 hours of continues use, and front and rear cameras.

Vehicle interface included.

FEATURES:

- AutoScan 2.0
- ECU Topology mapping
- Coding
- J2534 OE Programming Compatible
- Guided workflow
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android™ 10.0
MEMORY	128 GB
BATTERY	15000 mAh
DISPLAY	9.7 inches, 1536 x 2048

OPTIONAL FEATURES

- ADAS CALIBRATION & WHEEL ALIGNMENT
- EV DIAGNOSTICS
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)


- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MATCHING TOOLS



OBD ADAPTER SET

MSOBD2KIT



EV DIAG BOX & ADAPTERS

EV DIAGNOSTICS UPGRADE KIT

MAXISYS COMPARISON CHART






TECHNICAL SPECIFICATIONS	MAXISYS MS909	MAXISYS MS919 S2	MAXISYS ULTRA	MAXISYS ULTRA S2
CONNECTION	BLUETOOTH MAXIFLASH VCI	BLUETOOTH MAXIFLASH VCMI	BLUETOOTH MAXIFLASH VCMI	BLUETOOTH MAXIFLASH VCMI
SCREEN	9.7"	11"	12.7"	13.7"
BATTERY	15000mAh	15000mAh	18000mAh	20000mAh
PROCESSOR	2.2GHZ+1.8GHZ OCTA-CORE	UP TO 2.7GHZ OCTA-CORE	2.3 GHZ + 1.7 GHZ	UP TO 2.7GHZ OCTA-CORE
MEMORY	128GB STORAGE/ 4GB RAM	256GB STORAGE/ 12GB RAM	256GB STORAGE/ 4GB RAM	512GB STORAGE/ 12GB RAM
CAMERA	REAR/ FRONT	16MP REAR/ 16MP FRONT	REAR/FRONT	16MP REAR/16MP FRONT
DOCKING STATION	✗	✗	✓	✓
OPERATING SYSTEM	ANDROID 10	ANDROID 13	ANDROID 11	ANDROID 13
AUTO-VIN	✓	✓	✓	✓
FULL VEHICLE COVERAGE	✓	✓	✓	✓
DIGITAL VEHICLE INSPECTION	✗	✓	✗	✓
SERVICE RESETS	40+ SERVICE FEATURES	40+ SERVICE FEATURES	40+ SERVICE FEATURES	40+ SERVICE FEATURES
EV DIAGNOSTICS	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
ECU LOCATION GUIDANCE	✗	✓	✗	✓
ECU PING NETWORK	✗	✓	✗	✓
GRAPHICAL DIAGNOSTICS	✗	✓	✗	✓
COMPONENT ACTIVATIONS: Bi-directional control	✓	✓	✓	✓
ENHANCED FUNCTIONS: Coding&adaptations	✓	✓	✓	✓
ADAS CALIBRATION	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
CLOUD SERVICES	✓	✓	✓	✓
TOPOLOGY MODULE MAPPING	✓	✓	✓	✓
OSCILLOSCOPE	NOT INCLUDED	INCLUDED	INCLUDED	INCLUDED
SPLIT SCREENDISPLAY	✗	✓	✓	✓



MAXISYS EV UPGRADE KIT

The EV Diagnostics Upgrade Kit upgrades your device to the EV version and activates EV diagnostic functions. EV functions include a wide range of electric vehicle diagnostics, SOH Blitz Test (with unlimited authorization to issue Battery Health Check CARA Approved® SOH reports), SOH Deep Test (including independent battery SOH evaluation and consistency score assessment), support for off-board power battery diagnostics, off-board high-voltage components test, and interaction with MaxiEV CDT100 to perform battery module capacity testing and module-level SOH evaluation.

The EV Diagnostics Upgrade Kit includes the EVDiag Box and adapters.

- Includes EVDiag Box, Adapters for multiple brands and Breakout Leads
- Includes Carrying Case
- EV Daignostic functions activation
- Off-Board Battery Test
- Off-Board HV Components Test

MATCHING TOOLS



MAXISYS MS909
SEE MAXISYS SECTION



MAXISYS MS919
SEE MAXISYS SECTION



MAXISYS ULTRA
SEE MAXISYS SECTION



MAXISYS MS909 S2
SEE MAXISYS SECTION



MAXISYS MS919 S2
SEE MAXISYS SECTION



MAXISYS ULTRA S2
SEE MAXISYS SECTION



MAXISYS MS909CV_EU

The MaxiSYS MS909CV_EU is a newly developed diagnostic tablet tailored specifically for European commercial vehicle brands. It is compatible with a wide range of mainstream European trucks, buses, and trailers, and also provides broad coverage for various types of light commercial vehicles.

This 9.7-inch wireless Android touchscreen tablet offers comprehensive diagnostic capabilities, including reading/clearing fault codes, viewing/graphing live data, performing active tests, and executing a variety of basic maintenance tasks and special service functions.

The tablet set comes equipped with a Bluetooth-enabled J2534/RP1210/ISO22900 VCI, the MaxiBAS B200 battery/starting/charging system tester, alligator clamps, a multimeter, and amp clamps.

FEATURES:

- AutoScan 2.0
- EU HD Truck/BUS/Trailer supported
- LD Truck/Pick-up/VAN supported
- Coding
- J2534 OE Programming Compatible
- Battery Test
- Multimeter
- Guided workflow
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 10
MEMORY	128 GB
BATTERY	15000 mAh
DISPLAY	9.7 inch

MATCHING TOOLS



EU CV OBD ADAPTER SET



MAXISYS MS908S3

The new MaxiSYS MS908S3 is a 10.1-inch touchscreen advanced diagnostic tablet powered by an Octa-core processor with 128GB of storage memory running on Android 10.

Includes Bluetooth-enabled MaxiFlash LVCI pass-thru programming device. The MS908S3 can read/erase codes on all available systems, perform bi-directional active tests, view freeze frame data, view and graph live data, and perform adaptations and coding on U.S., Asian and European vehicles, 1996 and newer.

FEATURES:

- AutoScan 2.0
- Coding
- J2534 OE Programming Compatible
- Service Functions
- Guided workflow
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-core
OPERATING SYSTEM	Android 10
MEMORY	128 GB
BATTERY	11600 mAh
DISPLAY	10.1 inches

OPTIONAL FEATURES

- ADAS CALIBRATION
- OSCILLOSCOPE
- BATTERY TEST
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE



MAXISYS MS906MAX

MaxiSYS MS906 Max, similar to its compact-MS906 Pro version, is an advanced diagnostic tablet compatible with European, U.S., and Asian vehicles, 1996 and newer.

This 10.1-inch wireless **Android 10**-based touchscreen tablet performs extensive vehicle diagnostics including an all systems scan, the ability to read/clear codes, view freeze frame and live data, bi-directional control including active testing, coding and adaptations. The MaxiSYS MS906 MAX also features a rear 13.0 Megapixel camera.

Includes vehicle communication interface MaxVCI 200

FEATURES:

- AutoScan 2.0
- Coding
- Service Functions
- Guided workflow
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 10
MEMORY	128 GB
BATTERY	11600 mAh
DISPLAY	10.1 inch

OPTIONAL FEATURES

- ADAS CALIBRATION
- OSCILLOSCOPE
- BATTERY TEST
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE



MAXISYS MS906Pro2-TS

MaxiSYS MS906 Pro2-TS is an advanced diagnostic tablet compatible with European, U.S., and Asian vehicles, 1996 and newer.

This 8-inch wireless Android-based touchscreen tablet performs comprehensive TPMS servicing including 1-Sensor programming to its extensive vehicle diagnostics capability including an all systems scan with ADAS identification, the ability to read/erase codes, view freeze frame and live data, bi-directional control including active testing, coding and adaptations.

Includes customizable Pre/Post scans, extensive service menu with 40+ of the most of common maintenance tasks.

Vehicle interface included.

FEATURES:

- TPMS programming (BLE, RF)
- AutoScan 2.0
- Coding
- Service Functions
- Guided workflow
- Remote Expert

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 10
MEMORY	128 GB
BATTERY	11600 mAh
DISPLAY	8 inches

OPTIONAL FEATURES

- ADAS CALIBRATION
- OSCILLOSCOPE
- SOH BLITZ TEST (BATTERY HEALTH CHECK CARA APPROVED®)

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MAXISYS COMPARISON CHART



TECHNICAL SPECIFICATIONS	MAXISYS MS908S3	MAXISYS 906MAX	MAXISYS MS906 PRO2-TS
ALL SYSTEMS DTC SCAN	✓	✓	✓
SERVICE FUNCTION	✓	✓	✓
BI-DIRECTIONAL CONTROL	✓	✓	✓
AUTO VIN TECHNOLOGY	✓	✓	✓
CODING	✓	✓	✓
ECU PROGRAMMING	✓	✗	✗
CLOUD-BASED INFO SYSTEM	✓	✓	✓
DATA MANAGER	✓	✓	✓
SHOP MANAGER	✓	✓	✓
REMOTE SUPPORT	✓	✓	✓
PRE-SCAN REPORT & POST-SCAN REPORT	✓	✓	✓
PRINT FEATURE	✓	✓	✓
MULTI-LANGUAGE SUPPORT	✓	✓	✓
DOMESTIC/ASIAN/EUROPEAN COVERAGE(1996-PRESENT)	✓	✓	✓
DISPLAY SIZE	10.1"	10.1"	8"
WIRELESS VCI	MAXIFLASH LVCI	MAXIVCI V200	MAXIVCI V200
BATTERY	11600 mAh 3.85V	11600 mAh 3.85V	11600 mAh 3.7V
MEMORY STORAGE	128 GB	128 GB	128 GB
TPMS	✗	✗	✓
ADAS CALIBRATION	OPTIONAL	OPTIONAL	OPTIONAL

MAXISYS LINE ACCESSORIES

MAXISYS OBDII ADAPTER KIT

The MSOBD2KIT, compatible with the MSUltra, MS919 and MS909, includes OE-compliant adapters for specific vehicles produced between 1996 and 2002 without the standard OBD2 pin configuration. Compatible with:
Entire MaxiSYS Line



INCLUDES:

- 24 MONTHS WARRANTY

MAXISYS OSCILLOSCOPE ACCESSORY KIT

The MSOAK, compatible with MaxiFlash VCMI/ VCMI2 and the MP408 4-channel oscilloscope (sold separately) includes the 65A AC/DC Current Clamp, 650A AC/DC Current Clamp, Coil On Plug Probe, HT Extension Lead (2pcs) and Battery Clip (2pcs), within a blow-molded carrying case.



INCLUDES:

- 24 MONTHS WARRANTY

ACCESSORIES INCLUDED

- Current clamps
- Coil on plug probe
- HT Extension Lead
- Battery clips

MATCHING TOOLS



MAXISYS ULTRA S2

MAXISYS LINE (SEE MAXISYS SECTION)

AUTEL

LINE MAXIFLASH

REMOTE SERVICE EXPERT

Remote Expert is a cloud-based solution that enables Autel MaxiSys diagnostics tablet users to directly hire experienced remote module programmers with active OE subscriptions. The remote programmer uses the multi-server platform to connect directly to the vehicle in the technician's shop and update the module with the applicable software. Remote Expert currently supports more than 130 brands, including major makes such as Mercedes-Benz, BMW, Audi, GM, etc.



TOOLS FOR EXPERTS

MAXI FLASH X-LINK

MaxiFlash XLink is a powerful expert-driven remote diagnostics solution ideal for repairs and module programming. Equipped with a 4-inch touchscreen, the XLink enables remote programming and local diagnostics.

INCLUDED:

- 4-inch LCD touchscreen for easy operation
- Automatic software updates for uninterrupted use and support
- Can be used for expert-side (programmer with OE software or diagnostician) to provide remote programming and diagnostics.
- Supports D-PDU, J2534, and RP1210 diagnostics protocols for a wide range of vehicles compatibility
- Supports DoIP, CAN, and CAN FD protocols to ensure coverage of the latest vehicles
- Server and point-to-point dual-channel connection ensures smooth remote-service performance
- Supports remote programming on European, U.S., and Asian vehicle brands



TECHNICAL SPECIFICATIONS	
POWER CONSUMPTION	<5W
RAM	4GB
DISPLAY	4.0 inch TFT screen (480x800)
MEMORY	32GB

REMOTE EXPERT HUB

The Remote Hub is an advanced device that integrates up to 5 Vehicle Communication Interfaces (VCIs), designed specifically to enhance collaboration among remote experts. It offers a flexible and efficient solution for diagnostics and programming, enabling seamless teamwork and improved operational efficiency.

INCLUDED:

- Supports the integration of up to 5 VCIs, simplifying workflows and enabling collaboration among multiple experts.
- Compliant with D-PDU, SAE J2534, and RP1210 standards as a PassThru programming.
- Capable of updating the software automatically in Electronic Control Units (ECUs), programming new ECUs, and resolving software-controlled drivability and emission issues.
- One JLR Adapter for Jaguar Land Rover DOIP communication.




*One JLR adapter is included in the package.

TECHNICAL SPECIFICATIONS	
COMMUNICATION OPTIONS	USB 2.0; Ethernet
WIRELESS FREQUENCY	5 GHz
INPUT VOLTAGE RANGE	12 V DC to 24 V DC
OPERATING TEMPERATURE	0°C to 50°C (32°F to 122°F)
STORAGE TEMPERATURE	-20°Cto60°C(-4°Fto140°F)

REMOTE DIAGNOSTICS

TOOLS FOR TECHNICIANS



MaxiFlash XLink is a powerful expert-driven remote diagnostics solution ideal for repairs and module programming. Equipped with a 4-inch touchscreen, the XLink enables remote programming and local diagnostics.

INCLUDED:

- 4-inch LCD touchscreen for easy operation
- Automatic software updates for uninterrupted use and support
- Can be used for client-side (technician or vehicle) to request remote programming and diagnostics services.
- Supports D-PDU, J2534, and RP1210 diagnostics protocols for a wide range of vehicles compatibility
- Supports DoIP, CAN, and CAN FD protocols to ensure coverage of the latest vehicles
- Server and point-to-point dual-channel connection ensures smooth remote-service performance
- Supports remote programming on more than 130 U.S., Asian, and European vehicle brands

TECHNICAL SPECIFICATIONS

POWER CONSUMPTION	<5W
RAM	4GB
DISPLAY	4.0 inch TFT screen (480x800)
MEMORY	32GB

AUTEL

LINE MAXIDAS

AUTOMOTIVE DIAGNOSIS & ANALYSIS SYSTEM

When it comes to ultra-portability, **MaxiDAS** tools are your perfect companions. This line of products is compatible with all OBD-II protocols and features an extensive coverage of OE-level diagnostics in just a 8-inch LCD touch screen.

The intuitive UI helps the user to easily access all functions, offering the ability to quickly read and clear DTCs for all available modules of the majority of the makes and models on the market.

The unique software, together with a set of special adapters, allows the user to diagnose a wide range of different vehicles in short time, without the need to buy specific scan tools.
Featuring a fast quad-core processor and offering maximum convenience and efficiency for your diagnosis and analysis, MaxiDAS products are your ideal car diagnostic and service tools.





MAXIDAS DS900

The MaxiDAS DS900 is an all-system diagnostics tablet, compatible with U.S., Asian, and European vehicles, 1996 and newer. The eight-inch touchscreen Android-based tablet features a quad-core processor for maximum speed and efficiency.

FEATURES:

- Auto VIN
- DTC read & erase
- Service Functions
- Live Data
- Freeze frame
- Active Test
- Coding

TECHNICAL SPECIFICATIONS

PROCESSOR	QuadCore
OPERATING SYSTEM	Android 11
MEMORY	64 GB
BATTERY	7700 mAh
DISPLAY	8 inches

OPTIONAL FEATURES

VIDEOSCOPE

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

ANNUAL SUBSCRIPTION OR TOKEN PURCHASE



MAXIDAS DS900 BT

Featuring the powerful quad-core processor, and an 8.0-inch LCD capacitive touchscreen, based on the Android multitasking operating system, and combined with the ability to quickly read and clear DTCs for all available modules of the majority of the makes and models on the market, the MaxiDAS DS900-BT is your ideal auto diagnostics and service tool.

DS900-BT provides you with superior special functions, including Oil Reset, EPB (Electronic Parking Brake), SAS (Steering Angle Sensor), BMS (Battery Management System), and DPF (Diesel Particulate Filter).

Vehicle interface included.

FEATURES:

- Auto VIN
- DTC read & erase
- Service Functions
- Live Data
- Freeze frame
- Active Test
- Coding

TECHNICAL SPECIFICATIONS

PROCESSOR	QuadCore
OPERATING SYSTEM	Android 11
MEMORY	64 GB
BATTERY	7700 mAh
DISPLAY	8 inches

OPTIONAL FEATURES

- VIDEOSCOPE
- BATTERY TEST

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE



MAXIDAS DS900 TS

The new MaxiDAS DS900-TS delivers complete diagnostic functions and comprehensive TPMS solutions for all the covered makes and models. This results in an extremely purposeful and creative tool. Easy and intuitive navigation on the 8-inch touchscreen allows you to fast find what you need. The MaxiVCI V150 for wireless communication with the test vehicle and its advanced wireless technologies make it truly portable and Internet accessible.

This tool has a complete integrated TPMS function.

Vehicle interface included.

FEATURES:

- Auto VIN with Bluetooth VCI
- DTC read & erase
- Service Functions
- Live Data
- Freeze frame
- Active Test
- TPMS Programming
- Coding

SUPPORTED SENSORS



MX-SENSOR	1-SENSOR	BLE-SENSOR

SEE TPMS SENSORS SECTION

TECHNICAL SPECIFICATIONS

PROCESSOR	QuadCore
OPERATING SYSTEM	Android 11
MEMORY	64GB
BATTERY	7700 mAh
DISPLAY	8 inches

OPTIONAL FEATURES

- VIDEOSCOPE
- BATTERY TEST

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MAXIDAS COMPARISON CHART





TECHNICAL SPECIFICATIONS	MAXIDAS DS900	MAXIDAS DS900BT	MAXIDAS DS900TS
READ CODES	✓	✓	✓
ERASE CODES	✓	✓	✓
LIVE DATA	✓	✓	✓
ECU INFORMATION	✓	✓	✓
ACTIVE TEST	✓	✓	✓
SERVICE FUNCTIONS	40+ KINDS	40+ KINDS	40+ KINDS
COMPLETE OBD DIAGNOSTICS	✓	✓	✓
PRE & POST SCAN	✓	✓	✓
CODING	✓	✓	✓
TPMS ACTIVATION	✗	✗	✓
PROGRAM AUTEL MX-SENSORS	✗	✗	✓
DOIP	✓	✓	✓
CANFD	✓	✓	✓
BATTERY ANALYSIS	✗	✓	✓
VIDEOSCOPE	✓	✓	✓
PROCESSOR	QUAD-CORE 1.8GHZ	QUAD-CORE 1.8GHZ	QUAD-CORE 1.8GHZ
OPERATING SYSTEM	ANDROID 11	ANDROID 11	ANDROID 11
MEMORY	4G + 64G	4G + 64G	4G + 64G
DISPLAY	8" LCD	8" LCD	8" LCD
BATTERY	7700MAH	7700MAH	7700MAH
INTERNET UPDATABLE	WIFI	WIFI	WIFI
MULTILINGUAL SUPPORT	✓	✓	✓
SAVE AND PLAYBACK DATA	✓	✓	✓
WIFI PRINT	✓	✓	✓
VEHICLE COMMUNICATION METHOD	WIRED	WIRELESS (BLUETOOTH)	WIRELESS (BLUETOOTH)

AUTEL

LINE MAXICHECK

MULTIFUNCTIONAL TOOL FOR AN EFFICIENT SERVICE

Thanks to its ultra-portability, the MaxiCheck series tools are the perfect companions for every technician. In addition to quickly reading and clearing OEM codes for all modules across most brands and models, they also offer powerful special functions such as Oil Reset, EPB, SAS, BMS, and DPF.
Moreover, the MaxiCheck series comes equipped with three professional features—Live Data, Freeze Frame, and Active Test—that help you quickly locate and verify faults. the TPMS variant further enables your workshop to explore new business opportunities.





MAXICHECK MX900

The MaxiCheck MX900 is an all-system diagnostics tablet, compatible with U.S., Asian, and European vehicles, 1996 and newer. The eight-inch touchscreen Android-based tablet features a quad-core processor for maximum speed and efficiency.

Vehicle interface included.

Features:

- Auto VIN
- DTC read & erase
- Service Functions
- Live Data
- Freeze frame
- Active Test

TECHNICAL SPECIFICATIONS

PROCESSOR	QuadCore
OPERATING SYSTEM	Android 11
MEMORY	64 GB
BATTERY	7700 mAh
DISPLAY	8 inches

OPTIONAL FEATURES

VIDEOSCOPE

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

ANNUAL SUBSCRIPTION OR TOKEN PURCHASE



MAXICHECK MX900 TS

The MaxiCheck MX900-TS delivers complete diagnostic functions and comprehensive TPMS solutions for all the covered makes and models. This results in an extremely purposeful and creative tool.

Easy and intuitive navigation on the 8-inch touchscreen allows you to fast find what you need.

Features:

- Auto VIN with Bluetooth VCI
- DTC read & erase
- Service Functions
- Live Data
- Freeze frame
- Active Test
- TPMS Programming

TECHNICAL SPECIFICATIONS

PROCESSOR	QuadCore
OPERATING SYSTEM	Android 11
MEMORY	64 GB
BATTERY	7700 mAh
DISPLAY	8 inches

OPTIONAL FEATURES

- VIDEOSCOPE
- BATTERY TEST

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA,, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

- ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MAXICHECK COMPARISON CHART





TECHNICAL SPECS	MAXICHECK MX900	MAXICHECK MX900TS
READ CODES	✓	✓
ERASE CODES	✓	✓
LIVE DATA	✓	✓
ECU INFORMATION	✓	✓
ACTIVE TEST	✓	✓
SERVICE FUNCTIONS	40+ KINDS	40+ KINDS
COMPLETE OBD DIAGNOSITCS	✓	✓
PRE & POST SCAN	✓	✓
TPMS ACTIVATION	✗	✓
ACTIVATES SUPPORTED TPMS SENSORS	✗	✓
PROGRAM AUTEL MX-SENSORS	✗	✓
COMPREHENSIVE OBD RELEARN COVERAGE	✗	✓
ON-SCREEN RELEARN PROCEDURE	✗	✓
DOIP	✓	✓
CANFD	✓	✓
BATTERY ANALYSIS	✗	OPTIONAL
VIDEOSCOPE	OPTIONAL	OPTIONAL
PROCESSOR	QUAD-CORE 1.8GHZ	QUAD-CORE 1.8GHZ
OPERATING SYSTEM	ANDROID 11	ANDROID 11
MEMORY	4G + 64G	4G + 64G
DISPLAY	8" LCD	8" LCD
BATTERY	7700MAH	7700MAH
INTERNET UPDATABLE	WIFI	WIFI
MULTILINGUAL SUPPORT	✓	✓
HISTORICAL TEST RECORDS	✓	✓
SAVE AND PLAYBACK DATA	✓	✓
PRINT DATA VIA WINDOWS PC	✓	✓
VEHICLE COMMUNICATION METHOD	WIRED	WIRELESS (BLUETOOTH)

AUTEL

LINE MAXIDIAG

HOLD DIAGNOSTICS AND SPECIAL FUNCTIONS IN ONE HAND

Thanks to its user-friendly interface and portable design, the MaxiDiag series is the ideal companion for DIY car owners. The compact device integrates a wide range of powerful features, offering excellent support for various systems across a comprehensive range of vehicle brands. It easily scans and reads/clears codes for all systems including major ones such as the engine, automatic transmission (AT), ABS, and SRS.

Additionally, it supports a variety of maintenance resets, including Oil Reset, EPB, BMS, and DPF services.

The MaxiDiag series perfectly embodies the idea of "hold diagnostics and special functions in one hand."





MAXIDIAG MD909 PRO

The MD909Pro is Autel's new generation entry-level DIY handheld maintenance device. It offers basic diagnostic and maintenance functions, while also adding expansion capabilities and support for unlocking security gateways, providing users with convenient service. Its brand-new hardware platform and simplified usage and operation processes further enhance the user experience.

FEATURES:

- Autovin
- DTC read& erase
- Service Function
- Live Data
- Freeze Frame

TECHNICAL SPECIFICATIONS

PROCESSOR	Quad-core processor 1.5 GHz
OPERATING SYSTEM	Android 9
MEMORY	64GB
BATTERY	5000 mAh
DISPLAY	5.5-inch LCD

AUTEL SOFTWARE & UPDATES

LIFETIME FREE UPDATES FOR THE INCLUDED DIAGNOSTIC SOFTWARE

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, VAG (Excl. Porsche)

ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

AUTEL

LINE MAXISYS ADAS

A STREAMLINED SOLUTION FOR ADAS CALIBRATION AND WHEEL ALIGNMENT


The Autel MaxiSYS ADAS range offers calibration solutions for different workshop requirements.

The Autel alignment workflow starts with a full Health Check and Digital Inspection. These integrated steps deliver the highest revenue potential, the most comprehensive repair, a safer alignment, and a complete calibration of all affected ADAS systems.

Autel's ADAS camera solution is equipped with six cameras, enabling 3D functionality, self-calibration, and ground compensation. The hardware features the foldable and portable design for enhanced convenience.

The MaxiSys ADAS Software offers extensive brand compatibility, integrates OEM repair procedures, and provides clear, step-by-step operational guidance. It ensures rapid target recognition, automatic measurement and input of values, delivering an efficient and highly accurate ADAS calibration process.

The patterns are divided according to the vehicle brand and the type of calibration to satisfy the wider needs of the car repairer. All guidance and coverage information is easily accessible on the website and tablet. Document everything in your Pre/Post Scan report for insurance declaration.





MAXISYS ADAS IA1000

The IA1000 is a next-generation automated ADAS calibration, wheel alignment, and advanced diagnostics system. Its robotic one-step forward-facing target positioning and calibration significantly reduces manual set up time, streamlining the process for maximum efficiency.

Compatible with both traditional physical LDW targets and 27" digital monitors, featuring automatic target display and self-adjusting screen brightness for optimal visibility. HD optical cameras and guided laser tools enable automatic ACC/AVM target placement, improving precision and minimizing human error. To further ensure precision, the IA1000 includes automated floor compensation, eliminating failed calibrations caused by uneven surfaces.

FEATURES:

- **Fast:** Fully Robotic Target Placement & Fine Tune Adjustment
- **Flexible:** Digital Target and Physical Target
- **Accurate:** AVM Laser-Guided Pattern Placement
- **Precise:** 3D & self-calibrated camera & Unlevel Floor Compensation
- **Safe:** OEM-recommended repair procedure
- **Defensible:** Pre- and Post-Scan Report
- **3-In-1:** Wheel alignment + ADAS calibration + Diagnostic

INCLUDES:

- Includes 24 months Warranty

TECHNICAL SPECIFICATIONS

PRODUCT DIMENSIONS(FOLDED)	800*1000*1900mm
PACKAGE DIMENSIONS	1300*1030*2060mm
PACKAGE WEIGHT	272.5Kg
LASER CLASSIFICATION	class 2

AUTEL SOFTWARE & UPDATES

- SOFTWARE UPDATES
- ADAS SOFTWARE
- E-TARGET LICENSE

MAXISYS IA1000 FULL KIT WITH DIGITAL TARGETS

1.1



1.2



2



CSC0500/08

3.1




CSC0500/17+16

3.2



CSC0500/26+27

4




CSC050A/16

5




CSC050A/15+18

6



CSC0602/01

7



CSC0601/01

8



CSC0601/09

9




CSC0601/07

10



CSC0601/25

11



CSC0611/07

12.1



CSC0601/11

12.2



CSC0601/15

12.3



CSC0601/02

12.4



CSC0601/03

12.5



CSC0601/08

12.6



CSC0601/05

12.7



CSC0601/06

INCLUDES		PRODUCT NAME
IA1000 WITH DIGITAL TARGET VERSION	1.1	IA1000 KIT
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BRAKE LOCK
	4	27" DIGITAL TARGET PANEL * 2
	5	AVM TWO-LINE LASER
CSC0602/01	6	ACC CALIBRATION MIRROR
ADAS PHYSICAL TARGETS	7	LDW TARGET BOARD VOLKSWAGEN
	8	HYUNDAI KIA LDW TARGET BOARD
	9	HYUNDAI KIA JEEP FIAT LDW TARGET BOARD
	10	TOYOTA LEXUS LDW3 TARGET BOARD
	11	TESLA LDW TARGET BOARD

INCLUDES		PRODUCT NAME
E-TARGET FULL KIT	12.1	TOYOTA LEXUS LDW1 DIGITAL TARGET
	12.2	TOYOTA LEXUS LDW2 DIGITAL TARGET
	12.3	MERCEDES LDW DIGITAL TARGET
	12.4	NISSAN LDW DIGITAL TARGET
	12.5	HONDA LDW2 DIGITAL TARGET
	12.6	HONDA LDW DIGITAL TARGET
	12.7	NISSAN INFINITI LDW DIGITAL TARGET
100004676	13	IA1000 FUNCTION CARD

WARNING:
The IA1000 FULL KIT packages do not include the diagnostic tool. MaxiSys IA1000 systems works with MaxiSys MS909 and above models

MAXISYS IA1000 FULL KIT PLUS WITH DIGITAL TARGETS

1.1



1.2



2



CSC0500/08

3.1




CSC0500/17+16

3.2



CSC0500/26+27

4




CSC050A/16

5




CSC050A/15+18

6



CSC0602/01

7.1




CSC0601/01

7.2



CSC0601/07

7.3



CSC0601/14

8



CSC0601/09

9



CSC0701/23

10



CSC0601/25

11



CSC0611/07

12.1




CSC0601/15

12.2



CSC0601/11

12.3



CSC0601/02

12.4



CSC0601/03

12.5



CSC0601/08

12.6



CSC0601/05

12.7



CSC0601/06

12.8



CSC0601/19

12.9



CSC0601/22

12.10




CSC0601/12

12.11



CSC0601/13

12.12



CSC0601/04

INCLUDES		PRODUCT NAME
IA1000 WITH DIGITAL TARGET VERSION	1.1	IA1000 KIT
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BRAKE LOCK
	4	27" DIGITAL TARGET PANEL * 2
	5	AVM TWO-LINE LASER
CSC0602/01	6	ACC CALIBRATION MIRROR
LDW TARGET PACKAGE 100001280	7.1	LDW TARGET BOARD VOLKSWAGEN
	7.2	HYUNDAI KIA LDW TARGET BOARD
	7.3	SUBARU LDW1 TARGET BOARD

INCLUDES		PRODUCT NAME
ADAS PHYSICAL TARGETS	8	HYUNDAI KIA LDW2 TARGET BOARD
	9	HYUNDAI KIA LDW AIDS TARGET BOARD
	10	TOYOTA LEXUS LDW3 TARGET BOARD
	11	TESLA LDW TARGET BOARD
100004676	13	IA1000 FUNCTION CARD

E-TARGET FULL KIT PLUS			
12.1	TOYOTA LEXUS LDW2 DIGITAL TARGET	12.7	NISSAN INFINITI LDW DIGITAL TARGET
12.2	TOYOTA LEXUS LDW1 DIGITAL TARGET	12.8	MERCEDES LDW2 DIGITAL TARGET
12.3	MERCEDES LDW DIGITAL TARGET	12.9	MITSUBISHI LDW TARGET BOARD
12.4	NISSAN LDW DIGITAL TARGET	12.10	MAZDA LDW I TARGET BOARD
12.5	HONDA LDW2 DIGITAL TARGET	12.11	MAZDA LDW II TARGET BOARD
12.6	HONDA LDW DIGITAL TARGET	12.12	SUBARU LDW1 TARGET BOARD

WARNING:
The IA1000 FULL KIT PLUS packages do not include the diagnostic tool. MaxiSys IA1000 systems works with MaxiSys MS909 and above models.

MAXISYS IA1000 FULL KIT WITHOUT DIGITAL TARGETS

1.1



1.2



2



CSC0500/08

3.1



CSC0500/17+16

3.2



CSC0500/26+27

4




CSC050A/15+18

5



CSC0602/01

6



CSC0601/01

7



CSC0601/02

8



CSC0601/03

9



CSC0601/05

10



CSC0601/06

11



CSC0601/07

12



CSC0601/08

13



CSC0601/09

14



CSC0601/11

15



CSC0601/15

16



CSC0601/25

17



CSC0611/07

INCLUDES		PRODUCT NAME
IA1000 WITHOUT DIGITAL TARGET VERSION	1.1	IA1000 KIT
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BREAK BLOCK
	4	AVM TWO-LINE LASER
TARGET BOX V2 100000972	7	MERCEDES LDW SYSTEM
	8	NISSAN LDW SYSTEM
	9	HONDA LDW SYSTEM
	10	NISSAN, INFINITI LDW SYSTEM
	12	HONDA LDW SYSTEM
	13	HYUNDAI/KIA LDW PATTERN
	14	TOYOTA/LEXUS LDW SYSTEM
	15	TOYOTA/LEXUS LDW SYSTEM

INCLUDES		PRODUCT NAME
CSC0602/01	5	ACC CALIBRATION MIRROR
CSC0601/01	6	LDW TARGET BOARD VOLKSWAGEN
CSC0601/07	11	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
CSC0601/25	16	TOYOTA LEXUS LDW3 TARGET BOARD
CSC0611/07	17	TESLA LDW TARGET BOARD
100004676	18	IA1000 FUNCTION CARD

WARNING:
The IA1000 FULL KIT packages do not include the diagnostic tool. MaxiSys IA1000 systems works with MaxiSys MS909 and above models

MAXISYS IA1000 FULL KIT PLUS WITHOUT DIGITAL TARGETS

1.1



1.2



2



CSC0500/08

3.1



CSC0500/17+16

3.2



CSC0500/26+27

4




CSC050A/15+18

5



CSC0602/01

6.1




CSC0601/01

6.2



CSC0601/07

6.3



CSC0601/14

7



CSC0601/02

8



CSC0601/03

9



CSC0601/05

10



CSC0601/06

11



CSC0601/08

12



CSC0601/09

13



CSC0601/11

14



CSC0601/15

15



CSC0601/04

16



CSC0601/12

17



CSC0601/13

18



CSC0601/19

19



CSC0601/22

20




CSC0701/23

21



CSC0601/25

22






CSC0611/07

INCLUDES		PRODUCT NAME
IA1000 WITHOUT DIGITAL TARGET KIT	1.1	IA1000 KIT
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BREAK BLOCK
	4	AVM TWO-LINE LASER
CSC0602/01	5	ACC CALIBRATION MIRROR
CSC0601/25	21	TOYOTA LEXUS LDW3 TARGET BOARD
CSC0611/07	22	TESLA LDW TARGET BOARD
LDW TARGET PACKAGE 100001280	6.1	LDW TARGET BOARD VOLKSWAGEN
	6.2	HYUNDAI KIA LDW TARGET BOARD
	6.3	SUBARU LDW1 TARGET BOARD
100004676	23	IA1000 FUNCTION CARD

INCLUDES		PRODUCT NAME
TARGET BOX V3 100001281	7	MERCEDES LDW SYSTEM
	8	NISSAN LDW SYSTEM
	9	HONDA LDW SYSTEM
	10	NISSAN INFINITI LDW SYSTEM
	11	HONDA LDW SYSTEM
	12	HYUNDAI KIA LDW PATTERN
	13	TOYOTA LEXUS LDW SYSTEM
	14	TOYOTA LEXUS LDW SYSTEM
	15	MERCEDES/NISSAN LDW II TARGET BOARD
	16	MAZDA LDW I TARGET BOARD
	17	MAZDA LDW II TARGET BOARD
	18	MERCEDES LDW II TARGET BOARD
	19	MITSUBISHI LDW TARGET BOARD
	20	HYUNDAI/KIA LDW AIDS TARGET

The IA1000 FULL KIT PLUS packages do not include the diagnostic tool. MaxiSys IA1000 systems works with MaxiSys MS909 and above models

MAXISYS IA1000 ACCESSORIES

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC0500/17	100002747	Tire Clamp (x4)
	AUTEL-CSC0500/16	100003482	Clamp Target (x4)
	AUTEL-CSC0500/16/LF; AUTEL-CSC0500/16/LR AUTEL-CSC0500/16/RF; AUTEL-CSC0500/16/RR	100003460/LF; 100003462/LR 100003464/RF; 100003466/RR	CLAMP TARGET (X1)
	AUTEL-CSC050A/15+18	100004091	AVM Two Line Laser Kit
	AUTEL-CSC050A/15/L	100004093	AVM Two Line Laser Left
	AUTEL-CSC050A/15/R	100004095	AVM Two Line laser Right
	AUTEL-CSC050A/18/L	100004097	AVM Laser Extended Arm Left
	AUTEL-CSC050A/18/R	100004099	AVM Laser Extended Arm Right
	AUTEL-CSC050A/16	100004058	Digital Monitor
	/	204007522	Right Sliding Plate
	/	204007505	Left Sliding Plate
	/	100003559	LEFT CAMERA
	/	100003561	MIDDLE CAMERA
	/	100003560	RIGHT CAMERA
	/	100004668	MONITOR PROTECTION FLIGHT BOX



MAXISYS ADAS IA900WA

Technological innovation is constantly evolving and our experts are becoming more and more skilled: from control units to tires, they are ready to solve any problem. That's why Autel developed a wheel alignment and ADAS calibration system able to perform these two similar and closely related functions, saving time and simplifying the procedure.

The IA900WA can perform wheel alignment pre-check and comprehensive ADAS calibration on all vehicles. Live data make wheel alignment simple and effective: using the values on the tablet it is possible to manually adjust the frame.

The ADAS software also allows easy and precise calibration through guided step-by-step instructions.

FEATURES:

- 2-in-1 Wheel alignment and ADAS calibration
- 360° Swivel for 24 inch Touchscreen Monitor
- Robotic Frame Movement
- Precise Optical Measurement With 6 High Resolution Cameras
- Self Calibrating Cameras, Always Accurate, Every Time
- Cameras Automatically Track Vehicle Height On Lift

INCLUDES:

- Includes 24 months Warranty

TECHNICAL SPECIFICATIONS

DIMENSIONS	860 x 1240 x 1995 mm
WEIGHT	178 kg
PANEL DIMENSIONS	136 x 96 cm
LASER CLASSIFICATION	class 2

AUTEL SOFTWARE & UPDATES

SOFTWARE UPDATES
ADAS SOFTWARE

MAXISYS ADAS IA900WA WHEEL ALIGNMENT

FUTURE PROOF AND SCALABLE WHEEL ALIGNER

Enhance your tire shop's capabilities with our high-precision, wide-coverage, and user-friendly wheel alignment product IA900WA. Designed for reliability and efficiency, IA900WA Tire kit establishes a more holistic, top-down approach to vehicle service and repair will not only uncover new revenue streams for your shop but will also increase the safety of your repairs and build trust with your customers.

WIDE VEHICLE COVERAGE

- The most comprehensive coverage up to 20 years.
- Good compatibility with late-model vehicles, ensuring seamless integration with the latest 260 models features and updates.
- Eliminates software lag to keep up with rapidly evolving technology.

DELIVER INDUSTRY-LEADING ACCURACY OF 0.02°

- Equipped with 6 digital cameras and laser pattern placement for unparalleled precision.
- Features a QR code clamp target for quick and accurate positioning.
- Advanced self-calibration and unlevel floor compensation ensure consistent performance

STEP BY STEP OE PROCESS

- Streamlined Processes: An intuitive single-button operation starts the calibration process, making it user-friendly and efficient.
- Comprehensive Reporting: Pre- and post- calibration reports enhance reliability and documentation.
- Remote Expert Support: The Autel Remote Expert platform provides access to skilled technicians for advanced support and OEM-compliant calibrations.

HIGHLY EFFICIENT WORKFLOW

- No permanent floor installation required, Auto-VIN detect, all-in one smart tablet.
- Inspect, image, and document the vehicle's overall condition, including brakes, tire pressure, suspension, and steering.
- Dual screen with bi-directional operation; camera automatically tracks the target, less human input needed.

THE FIRST IN THE MARKET

- A combined wheel alignment and ADAS calibration system
- 3D one-step fine-tuning mechanism, allows minor adjustments.
- Robotic crossbar achieves auto-height within one-touch. Extreme ease-of-use.

SCALABLE IA900WA PACKAGES

The Autel IA900WA is available in multiple configurations and packages, each engineered to deliver maximum efficiency and value, and scale with your shop and business.

MAXISYS ADAS IA900WA 2-IN-1 SOLUTION

When an intervention on the ADAS systems of a vehicle is required, it is fundamental to have an adequate tool for performing the correct repair and therefore to maintain the functionality of the systems.
In scenarios where the vehicle has undergone collision repair, suspension work, or alignment-affecting service, a four-wheel alignment is often necessary to ensure the accuracy of ADAS calibration.

To meet these demands, AUTEL has developed the MAXISYS ADAS IA900WA, which supports both four-wheel alignment and ADAS calibration.

MAXISYS IA900WA BASIC RIM CLAMPS KIT

1.1



1.2




2



CSC0500/08

3.1




CSC0500/19 + 16

3.2




CSC0500/26 + 27

4



CSC0602/01

5





CSC0601/01




INCLUDES		PRODUCT NAME
IA900WA BASIC RIM KIT	1.1	IA900WA
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 RIM CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BRAKE LOCK
	4	ACC CALIBRATION MIRROR
	5	LDW TARGET BOARD VOLKSWAGEN
100003073	6	ADAS IA900WA FUNCTION CARD

WARNING:
The IA900WA BASIC RIM CLAMPS KIT packages do not include the diagnostic tool. MaxiSys IA900WA systems works with MaxiSys MS909 and above models

MAXISYS IA900WA FULL RIM CLAMPS KIT

1.1	1.2	2	3.1	3.2
		 CSC0500/08	 CSC0500/19 + 16	 CSC0500/26 + 27


4	5	6	7	8
 CSC0602/01	 CSC0601/01	 CSC0601/02	 CSC0601/03	 CSC0601/05

9	10	11	12	13	14
 CSC0601/06	 CSC0601/07	 CSC0601/08	 CSC0601/09	 CSC0601/11	 CSC0601/15

INCLUDES		PRODUCT NAME
IA900WA BASIC RIM KIT	1.1	IA900W
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 RIM CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BRAKE LOCK
	4	ACC CALIBRATION MIRROR
	5	LDW TARGET BOARD VOLKSWAGEN
TARGET BOX V2 - 10000972	6	MERCEDES LDW SYSTEM
	7	NISSAN LDW SYSTEM
	8	HONDA LDW SYSTEM
	9	NISSAN, INFINITI LDW SYSTEM
	11	HONDA LDW SYSTEM
	12	HYUNDAI/KIA LDW PATTERN
	13	TOYOTA/LEXUS LDW SYSTEM
	14	TOYOTA/LEXUS LDW SYSTEM
CSC0601/07	10	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
100003073	11	ADAS IA900WA FUNCTION CARD

WARNING:
The IA900WA FULL RIM CLAMPS KIT packages do not include the diagnostic tool. MaxiSys IA900WA systems works with MaxiSys MS909 and above models

MAXISYS IA900WA FULL PLUS RIM CLAMPS KIT



INCLUDES		PRODUCT NAME
IA900WA BASIC RIM KIT	1.1	IA900WA
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BRAKE LOCK
	4	ACC CALIBRATION MIRROR
LDW PATTERN BOARD PACKAGE 100001280	5	LDW TARGET BOARD VOLKSWAGEN
	10	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
	18	SUBARU LANE KEEP CANVAS PATTERN
100003073	22	ADAS IA900WA FUNCTION CARD

INCLUDES		PRODUCT NAME
TARGET BOX V3 100001281	6	MERCEDES LDW SYSTEM
	7	NISSAN LDW SYSTEM
	8	HONDA LDW SYSTEM
	9	NISSAN, INFINITI LDW SYSTEM
	11	HONDA LDW SYSTEM
	12	HYUNDAI/KIA LDW PATTERN
	13	TOYOTA/LEXUS LDW SYSTEM
	14	TOYOTA/LEXUS LDW SYSTEM
	15	MERCEDES/NISSAN LDW II TARGET BOARD
	16	MAZDA LDW I TARGET BOARD
	17	MAZDA LDW II TARGET BOARD
	19	MERCEDES LDW II TARGET BOARD
	20	MITSUBISHI LDW TARGET BOARD
	21	HYUNDAI/KIA LDW AIDS TARGET

WARNING:
The IA900 FULL RIM CLAMPS PLUS KIT packages do not include the diagnostic tool. MaxiSys IA900WA systems works with MaxiSys MS909 and above models

MAXISYS IA900WA BASIC TIRE CLAMPS KIT

1.1



1.2



2



CSC0500/08

3.1



CSC0500/17 + 16

3.2




CSC0500/26 + 27

4



CSC0602/01

5




CSC0601/01

INCLUDES		PRODUCT NAME
IA900WA BASIC TIRE KIT	1.1	IA900WA
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BREAK BLOCK
	4	ACC CALIBRATION MIRROR
	5	LDW TARGET BOARD VOLKSWAGEN
100003073	6	ADAS IA900WA FUNCTION CARD

WARNING:
The IA900WA BASIC TIRE CLAMPS KIT packages do not include the diagnostic tool. MaxiSys IA900WA systems works with MaxiSys MS909 and above models
.

MAXISYS IA900WA FULL TIRE CLAMPS KIT

1.1	1.2	2	3.1	3.2
		 CSC0500/08	 CSC0500/17+16	 CSC0500/26 + 27

4	5	6	7	8
 CSC0602/01	 CSC0601/01	 CSC0601/02	 CSC0601/03	 CSC0601/05

9	10	11	12	13	14
 CSC0601/06	 CSC0601/07	 CSC0601/08	 CSC0601/09	 CSC0601/11	 CSC0601/15

INCLUDES		PRODUCT NAME
IA900WA BASIC TIRE KIT	1.1	IA900WA
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING LOCK, WEDGE BLOCK, BREAK BLOCK
	4	ACC CALIBRATION MIRROR
	5	LDW TARGET BOARD VOLKSWAGEN
TARGET BOX V2 100000972	6	MERCEDES LDW SYSTEM
	7	NISSAN LDW SYSTEM
	8	HONDA LDW SYSTEM
	9	NISSAN, INFINITI LDW SYSTEM
	11	HONDA LDW SYSTEM
	12	HYUNDAI/KIA LDW PATTERN
	13	TOYOTA/LEXUS LDW SYSTEM
	14	TOYOTA/LEXUS LDW SYSTEM
CSC0601/07	10	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
100003073	11	ADAS IA900WA FUNCTION CARD

WARNING:
The IA900WA FULL TIRE CLAMPS KIT packages do not include the diagnostic tool. MaxiSys IA900WA systems works with MaxiSys MS909 and above models .

MAXISYS IA900WA FULL PLUS TIRE CLAMPS KIT

1.1



1.2



2



CSC0500/08

3.1



CSC0500/17+16

3.2




CSC0500/26 + 27

4



CSC0602/01

5



CSC0601/01

6



CSC0601/02

7



CSC0601/03

8



CSC0601/05

9



CSC0601/06

10



CSC0601/07

11



CSC0601/08

12



CSC0601/09

13



CSC0601/11

14



CSC0601/15

15



CSC0601/04

16




CSC0601/12

17



CSC0601/13

18



CSC0601/14

19



CSC0601/19

20



CSC0601/22

21





CSC0701/23

INCLUDES		PRODUCT NAME
IA900WA BASIC TIRE KIT	1.1	IA900WA
	1.2	24" TOUCHSCREEN MONITOR
	2	DISTANCE TARGET
	3.1	4 TIRE CLAMPS
	3.2	STEERING, WEDGE, AND BREAK BLOCKS
	4	ACC CALIBRATION MIRROR
LDW PATTERN BOARD PACKAGE 100001280	5	LDW TARGET BOARD VOLKSWAGEN
	10	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
	18	SUBARU LANE KEEP CANVAS PATTERN
100003073	22	ADAS IA900WA FUNCTION CARD




INCLUDES		PRODUCT NAME
TARGET BOX-V3 100001281	6	MERCEDES LDW SYSTEM
	7	NISSAN LDW SYSTEM
	8	HONDA LDW SYSTEM
	9	NISSAN, INFINITI LDW SYSTEM
	11	HONDA LDW SYSTEM
	12	HYUNDAI/KIA LDW PATTERN
	13	TOYOTA/LEXUS LDW SYSTEM
	14	TOYOTA/LEXUS LDW SYSTEM
	15	MERCEDES/NISSAN LDW II TARGET BOARD
	16	MAZDA LDW I TARGET BOARD
	17	MAZDA LDW II TARGET BOARD
	19	MERCEDES LDW II TARGET BOARD
	20	MITSUBISHI LDW TARGET BOARD
	21	HYUNDAI/KIA LDW AIDS TARGET

WARNING:
The IA900WA FULL PLUS TIRE CLAMPS KIT packages do not include the diagnostic tool. MaxiSys IA900WA systems works with MaxiSys MS909 and above models .

MAXISYS IA900WA ACCESSORIES


	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC0500/19	100003480	Rim Clamp (x4)
	AUTEL-CSC0500/17	100002747	Tire Clamp (x4)
	AUTEL-CSC0500/16	100003482	Clamp Target (x4)
	AUTEL-CSC0500/16/LF AUTEL-CSC0500/16/LR AUTEL-CSC0500/16/RF AUTEL-CSC0500/16/RR	1000003460/LF 1000003462/LR 1000003464/RF 1000003466/RR	CLAMP TARGET (X1)
	AUTEL-CSC9000/01	100002897	Small sliding plate
	AUTEL-CSC0500/26	304001444	Brake lock
	AUTEL-CSC0500/27	304001322	STEERING LOCK
	/	303001077	Wedge block
	AUTEL-CSC0500/18L	200000839	LEFT CAMERA
	AUTEL-CSC0500/18M	200000840	MIDDLE CAMERA
	AUTEL-CSC0500/18R	200000838	RIGHT CAMERA
	AUTEL-CSC0500/08	100003011	DISTANCE TARGET
	AUTEL-CSC0500/29	100003240	HAND-HELD INCLINOMETER FOR MERCEDES

MAXISYS IA900WA ACCESSORIES

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC0500/17/A	100003735	Tire Clamp Regular Claw
	AUTEL-CSC0500/17/B	100003742	Tire Clamp Extended Claw
	AUTEL-CSC0500/21	100002758	Maximum steering angle target
	AUTEL-CSC0500/20/L AUTEL-CSC0500/20/R	100002753	LIVE RIDE HEIGHT TARGET BOARD
	AUTEL-CSC050A/04	100003721	Laser Measurement Unit
	/	304001489	24 INCHES LCD MONITOR
	AUTEL-CSC0500/28	100003183	IA900 TABLET HOLDER
	AUTEL-CSC0500/12	100003351	TIRE CALMP ADAPTER FOR CALIBRATION BAR
	AUTEL-CSC0500/30	100003396	IA900 PROTECTION COVER
	AUTEL-CSC0500/18C	200000841	MAIN CONTROL BOX
	/	100003866/100003863	Two-line Laser
	/	100003864	Two-line Laser Mount

MAXISYS IA900WA ACCESSORIES

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC0500/31	100003398/ 100003399	Removal wheel adjustment tool
	AUTEL-CSC0500/04	100000922/ 100001478	Laser line center axis(AVM system)
	AUTEL-CSC050A/12	100003922	Standard Clamp Claw Jaw Set (4pcs)
	AUTEL-CSC050A/13	100003923	Extended Clamp Claw Jaw Set (4pcs)
	AUTEL-CSC050A/14	100003924	Extended Clamp Claw Jaw Set (4pcs)
	AUTEL-CSC050B/01	100003963/ 100003967	Mobile Table
	AUTEL-CSC050B/02	100003964/ 100003968	Mobile Table Rim Clamp Accessory
	AUTEL-CSC050B-03	100003965/ 100003969	Mobile Table Tire Clamp Accessory
	AUTEL-CSC0500/10	100002313	Calibration Bar for Rim Clamp



*The tablet holder is not included in any package. It's an optional accessory that can be purchased separately.

MAXISYS ADAS IA600

The IA600 is the ultimate portable ADAS calibration tool. It is specifically designed to provide accurate calibration placement for Advanced Driver Assistance Systems (ADAS). With its step-by-step graphic instructions, the IA600 makes the calibration process straightforward and easy to follow. By aligning with the vehicle's thrust line, the tool ensures optimal calibration accuracy, even for complex ADAS systems. Additionally, the IA600 boasts a modular frame design, making it incredibly easy to move and transport. The IA600 is compatible with the MaxiSYS ADAS tablet when upgraded with ADAS software (purchased separately).

FEATURES:

PORTABLE	Flexible and lightweight, easy to transport, various application scenarios
EASY-TO-USE	Quick assembly and disassembly
SAFE	OEM-recommended repair procedure
EFFECTIVE	Auto VID
2 VERSIONS	Camera and Laser
SUPPORTS	Wheel Pre-check, ADAS all systems calibration

INCLUDES:

- 24 months Warranty

TECHNICAL SPECIFICATIONS


CALIBRATION FRAME - FOLDED	615 x 690 x 1055 mm
UPPER CROSSBEAM - UNFOLDED	1805mm
UPPER CROSSBEAM -FOLDED	420mm
LOWER CROSSBEAM	2767mm
CALIBRATION FRAME HEIGHT RANGE	1055-1755mm
UPPER CROSSBEAM HEIGH RANGE	1000-1700mm
LOWER CROSSBEAM HEIGHT RANGE	300-950mm
CAMERA DIMENSIONS	1210 × 630 × 470 mm
TOTAL WEIGHT	54 kg
OPERATING TEMPRETURE	-10 ~ 50 °C
STORAGE TEMPERATURE	-20 ~ 60 °C
LASER CLASSIFICATION	CLASS 2

AUTEL SOFTWARE & UPDATES

SOFTWARE UPDATES
ADAS SOFTWARE

MAXISYS ADAS IA600 LASER BASIC KIT

1




2




CSC0500/05

3




CSC0500/01

4



CSC0602/01

5



CSC0601/01

INCLUDES		PRODUCT NAME
IA600 BASIC KIT LASER VERSION	1	IA600 MAIN FRAME LASER VERSION
	2	LASER DISTANCE MEASURING KIT
	3	WHEEL CLAMP KIT
	4	ACC CALIBRATION MIRROR
	5	LDW TARGET BOARD VOLKSWAGEN
100000984	6	ADAS STANDARD FUNCTION CARD

WARNING:
The IA600 packages do not include the diagnostic tool. with MaxiSys IA600 systems works with Maxisys MS906Max, MS908S3, MS909 and above models

MAXISYS ADAS IA600 LASER FULL KIT

1




2.1




CSC0500/05

2.2




CSC0500/01

3



CSC0602/01

4



CSC0601/01

5



CSC0601/02

6



CSC0601/03

7



CSC0601/05

8



CSC0601/06

9




CSC0601/07

10




CSC0601/08

11




CSC0601/09

12



CSC0601/11

13




CSC0601/15

INCLUDES		PRODUCT NAME
IA600 BASIC KIT LASER VERSION	1	IA600 MAIN FRAME LASER VERSION
	2.1	LASER DISTANCE MEASURING KIT
	2.2	WHEEL CLAMP KIT
	3	ACC CALIBRATION MIRROR
	4	LDW TARGET BOARD VOLKSWAGEN
TARGET BOX V2	5	MERCEDES LDW SYSTEM
	6	NISSAN LDW SYSTEM
	7	HONDA LDW SYSTEM
	8	NISSAN, INFINITI LDW SYSTEM
	10	HONDA LDW SYSTEM
	11	HYUNDAI/KIA LDW PATTERN
	12	TOYOTA/LEXUS LDW SYSTEM
	13	TOYOTA/LEXUS LDW SYSTEM
CSC0601/07	9	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
100000984	14	ADAS STANDARD FUNCTION CARD

WARNING:
The IA600 packages do not include the diagnostic tool. with MaxiSys IA600 systems works with Maxisys MS906Max, MS908S3, MS909 and above models

MAXISYS ADAS IA600 LASER FULL KIT PLUS




PRODUCT CODE		PRODUCT NAME
IA600 BASIC KIT LASER VERSION	1	IA600 FRAME
	2.1	LASER DISTANCE MEASURING KIT
	2.2	WHEEL CLAMP KIT
	3	ACC CALIBRATION MIRROR
LDW PATTERN BOARD PACKAGE 100001280	4	LDW TARGET BOARD VOLKSWAGEN
	9	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
	17	SUBARU LANE KEEP CANVAS PATTERN
100000984	21	ADAS STANDARD FUNCTION CARD

PRODUCT CODE		PRODUCT NAME
TARGET BOX-V3 100001281	5	MERCEDES LDW SYSTEM
	6	NISSAN LDW SYSTEM
	7	HONDA LDW SYSTEM
	8	NISSAN, INFINITI LDW SYSTEM
	10	HONDA LDW SYSTEM
	11	HYUNDAI/KIA LDW PATTERN
	12	TOYOTA/LEXUS LDW SYSTEM
	13	TOYOTA/LEXUS LDW SYSTEM
	14	MERCEDES/NISSAN LDW II TARGET BOARD
	15	MAZDA LDW I TARGET BOARD
	16	MAZDA LDW II TARGET BOARD
	18	MERCEDES LDW II TARGET BOARD
	19	MITSUBISHI LDW TARGET BOARD
	20	HYUNDAI/KIA LDW ADAS TARGET

WARNING:
The IA600 packages do not include the diagnostic tool. with MaxiSys IA600 systems works with Maxisys MS906Max, MS908S3, MS909 and above models

MAXISYS IA600 LASER VERSION ACCESSORIES

	SAP CODE	PRODUCT
	100000858/ 100001498	Rim Clamp Kit
	100001998 / 100001999	Laser Distance Measuring Kit
	204001541	IA600 Height Laser Rangefinder
	204001563	Small Sliding Plate
	304001031	Five Line Laser
	100003587	IA600 Hand Crank
	204001559	Hnad Crank


WARNING:
The IA600 packages do not include the diagnostic tool. with MaxiSys IA600 systems works with Maxisys MS906Max, MS908S3, MS909 and above models

MAXISYS ADAS IA600 CAMERA BASIC KIT

1



2




3



CSC0602/01

4



CSC0601/01

INCLUDES		PRODUCT NAME
IA600 BASIC KIT CAMERA VERSION	1	IA600 MAIN FRAME CAMERA VERSION
	2	CAMERA KIT
	3	ACC CALIBRATION MIRROR
	4	LDW TARGET BOARD VOLKSWAGEN
100000984	5	ADAS STANDARD FUNCTION CARD


WARNING:
The IA600 packages do not include the diagnostic tool. with MaxiSys IA600 systems works with Maxisys MS906Max, MS908S3, MS909 and above models

MAXISYS ADAS IA600 CAMERA FULL KIT

1



2




CSC0500/06

3



CSC0602/01

4



CSC0601/01

5



CSC0601/02

6



CSC0601/03

7



CSC0601/05

8



CSC0601/06

9



CSC0601/07

10



CSC0601/08

11



CSC0601/09

12



CSC0601/11

13



CSC0601/15

INCLUDES		PRODUCT NAME
IA600 BASIC KIT CAMERA VERSION	1	IA600 MAIN FRAME CAMERA VERSION
	2	CAMERA KIT
	3	ACC CALIBRATION MIRROR
	4	LDW TARGET BOARD VOLKSWAGEN
TARGET BOX V2 100000972	5	MERCEDES LDW SYSTEM
	6	NISSAN LDW SYSTEM
	7	HONDA LDW SYSTEM
	8	NISSAN, INFINITI LDW SYSTEM
	10	HONDA LDW SYSTEM
	11	HYUNDAI/KIA LDW PATTERN
	12	TOYOTA/LEXUS LDW SYSTEM
	13	TOYOTA/LEXUS LDW SYSTEM
CSC0601/07	9	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
100000984	14	ADAS STANDARD FUNCTION CARD


WARNING:
The IA600 packages do not include the diagnostic tool. MaxiSys IA600 systems works with MaxiSys Ultra/908/906 Series

MAXISYS ADAS IA600 CAMERA FULL KIT PLUS

1



2




CSC0500/06

3



CSC0602/01

4



CSC0601/01

5



CSC0601/02

6



CSC0601/03

7



CSC0601/05

8



CSC0601/06

9



CSC0601/07

10



CSC0601/08

11



CSC0601/09

12



CSC0601/11

13



CSC0601/15

14



CSC0601/04

15




CSC0601/12

16



CSC0601/13

17



CSC0601/14

18



CSC0601/19

19



CSC0601/22

20





CSC0701/23

INCLUDES		PRODUCT NAME
IA600 BASIC KIT CAMERA VERSION	1	IA600 FRAME
	2	CAMERA KIT
	3	ACC CALIBRATION MIRROR
LDW PATTERN BOARD PACKAGE 100001280	4	LDW TARGET BOARD VOLKSWAGEN
	9	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
	17	SUBARU LANE KEEP CANVAS PATTERN
100000984	21	ADAS STANDARD FUNCTION CARD


PRODUCT CODE		PRODUCT NAME
TARGET BOX V3 100001281	5	MERCEDES LDW SYSTEM
	6	NISSAN LDW SYSTEM
	7	HONDA LDW SYSTEM
	8	NISSAN, INFINITI LDW SYSTEM
	10	HONDA LDW SYSTEM
	11	HYUNDAI/KIA LDW PATTERN
	12	TOYOTA/LEXUS LDW SYSTEM
	13	TOYOTA/LEXUS LDW SYSTEM
	14	MERCEDES/NISSAN LDW II TARGET BOARD
	15	MAZDA LDW I TARGET BOARD
	16	MAZDA LDW II TARGET BOARD
	18	MERCEDES LDW II TARGET BOARD
	19	MITSUBISHI LDW TARGET BOARD
	20	HYUNDAI/KIA LDW ADAS TARGET


WARNING:
The IA600 packages do not include the diagnostic tool. MaxiSys IA600 systems works with MaxiSys Ultra/908/906 Series

MAXISYS IA600 CAMERA VERSION ACCESSORIES

	SAP CODE	PRODUCT
	204002254 / LF 204002255 / LR 204002256 / RR 204002257 / RF	Rim Clamp
	20000731 / LF 20000732 / RF 20000733 / LR 20000734 / RR	Rim Target
	200000788	Left Camera Kit
	200000789	Center Camera Kit
	200000787	Right Camera Kit
	204002166	Front Distant Target

MAXISYS IA600 COMMON ACCESSORIES

	SAP CODE	PRODUCT
	100003852	Table Holder
	100001410	Protection Bag for Beam, Frame, and Base



MAXISYS ADAS FRAME CAMERA

The fastest and most precise calibration frame positioning without mechanical measurement. The Autel Advanced ADAS Optical Positioning System features six high-resolution cameras to deliver 3-dimensional adjustment for the most accurate frame centering and vehicle distance recognition. Compatible with your existing Autel Standard Calibration Frame, and designed for seamless integration, this new component system optically measures two-wheel clamp targets to significantly cut down setup time and increase placement precision. Most extensive Camera, Radar, Lidar, and Night Vision Calibration Coverage in the industry..

INCLUDES:

- 24 months Warranty

FEATURES:

- Support Wheel Pre-check
- Share Comparing Report Easily
- Estimate Manual Measuring
- Digitally Position Calibration
- Adjustable Panels
- ADAS All Systems Diagnostics

TECHNICAL SPECIFICATIONS


DIMENSIONS	251 × 71.4 × 210.5 CM
WEIGHT	152 KG
PANEL DIMENSIONS	136 ×96 CM
LASER CLASSIFICATION	CLASS 2

OPTIONAL FEATURES

- SOFTWARE UPDATES
- ADAS SOFTWARE

GLASS FITTER KIT

1




2



CSC0500/06

3



CSC0601/01

4



CSC0601/02

5



CSC0601/03

6



CSC0601/05

7



CSC0601/06

8



CSC0601/07

9



CSC0601/08

10



CSC0601/09

11




CSC0601/11

12



CSC0601/15

13



CSC0600/02

14




CSC050A/05


INCLUDES		PRODUCT NAME
1ST GENERATION CAMERA KIT	1	1ST GENERATION ADAS FRAME CAMERA VERSION
	2	CAMERA KIT
CSC0601/01	3	VAG PATERN BOARD V1 CANVAS
TARGET BOX V2 100000972	4	MERCEDES LDW SYSTEM
	5	NISSAN LDW SYSTEM
	6	HONDA LDW SYSTEM
	7	NISSAN, INFINITI LDW SYSTEM
	9	HONDA LDW SYSTEM
	10	HYUNDAI/KIA LDW PATTERN
	11	TOYOTA/LEXUS LDW SYSTEM
	12	TOYOTA/LEXUS LDW SYSTEM
CSC0601/07	8	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN
TARGET ADAPTER	13	TARGET BOARD HOLDER
	14	ADAPTER FOR LARGE ADAS TARGET BOARD
100000984	15	ADAS STANDARD FUNCTION CARD
TABLET	16	MAXISYS 909

1ST GEN. CAMERA BASIC KIT

1



2




CSC0500/06

3



CSC0602/01

4



CSC0601/01

5




CSC0601/02

INCLUDES		PRODUCT NAME
1ST GENERATION CAMERA BASIC KIT	1	1ST GENERATION ADAS FRAME CAMERA VERSION
	2	CAMERA KIT
	3	ACC CALIBRATION MIRROR
	4	VAG PATERN BOARD V1 CANVAS
	5	LDW TARGET CANVAS MERCEDES
100000984	6	ADAS STANDARD FUNCTION CARD


WARNING:
The 1st gen. camera basic and full kit packages do not include the diagnostic tool. MaxiSys ADAS frame system works with MaxiSys Ultra/908/906 Series

1ST GEN. CAMERA FULL KIT

1



2




CSC0500/06

3



CSC0602/01

4



CSC0601/01

5



CSC0601/02

6



CSC0601/03

7



CSC0601/05

8



CSC0601/06

9



CSC0601/07

10



CSC0601/08

11



CSC0601/09

12




CSC0601/11

13



CSC0601/15

14



CSC0600/02

15






CSC050A/05

INCLUDES		PRODUCT NAME
1ST GENERATION CAMERA BASIC KIT	1	1ST GENERATION ADAS FRAME CAMERA VERSION
	2	CAMERA KIT
	3	ACC CALIBRATION MIRROR
	4	VAG PATERN BOARD V1 CANVAS
TARGET BOX V2 100000972	5	MERCEDES LDW TARGET BOARD
	6	NISSAN LDW TAGRET BOARD
	7	HONDA LDW TARGET BOARD
	8	NISSAN, INFINITI LDW TARGET BOARD
	10	HONDA LDW TARGET BOARD
	11	HYUNDAI/KIA LDW TARGET BOARD
	12	TOYOTA/LEXUS LDW1 TARGET BOARD
	13	TOYOTA/LEXUS LDW2 TARGET BOARD
CSC0601/07	9	HYUNDAI/KIA/JEEP/FIAT LDW TARGET BOARD
TARGET ADAPTER	14	TARGET BOARD HOLDER
	15	ADAPTER FOR LARGE ADAS TARGET BOARD
100000984	16	ADAS STANDARD FUNCTION CARD

WARNING:
The 1st gen. camera basic and full kit packages do not include the diagnostic tool. MaxiSys ADAS frame system works with MaxiSys Ultra/908/906 Series

1ST GEN. CAMERA ACCESSORIES

	SAP CODE	PRODUCT
	100001923 / 100001902	Height Increase Piece
	100000858/ 100001498	Rim Clamp Kit
	100001998 / 100001999	Laser Distance Measuring Kit
	100000881 / 100001497	Target Board Holder
	100003763 / 100003764	Adapter for Large ADAS Target Board

ADAS LINE ACCESSORIES

SOLD INDIVIDUALLY

TARGET BOX V2 LDW TARGET BOX

	PART NUMBER	SAP CODE	PRODUCT	
	CSC0601/15 CSC0601/11 CSC0601/09 CSC0601/02 CSC0601/03 CSC0601/08 CSC0601/05 CSC0601/06	100000972	CSCBOX LDW TARGET BOX	The LDW Target Box is Part of the ADAS Full Kit


LDW SYSTEMS INCLUDED: Mercedes LDW System, Nissan LDW System, Honda LDW System, Nissan / Infiniti LDW System, Honda LDW System, Hyundai / Kia LDW System, Toyota / Lexus LDW System, Toyota / Lexus LDW System.

TARGET BOX V3 LDW TARGET BOX





	PART NUMBER		SAP CODE	PRODUCT	
	CSC0601/15 CSC0601/11 CSC0601/09 CSC0601/02 CSC0601/03 CSC0601/08 CSC0601/05	CSC0601/06 CSC0601/04 CSC0601/12 CSC0601/13 CSC0601/19 CSC0601/22 CSC0701/23	100001281	CSSBOX LDW TARGET BOX	The LDW Target Box is Part of the ADAS Full Kit Plus

LDW SYSTEMS INCLUDED: Mercedes LDW System, Nissan LDW System, Honda LDW System, Nissan / Infiniti LDW System, Honda LDW System, Hyundai / Kia LDW System, Toyota / Lexus LDW System, Toyota / Lexus LDW System, Mercedes / Nissan LDW II Target board, Mazda LDW I Target board, Mazda | LDW II Target board, Mercedes LDW II Target board, Mitsubishi LDW Target board, Hyndai / Kia LDW ADAS Target.








LANE DEPARTURE WARNING (LDW) TARGETS & PATTERNS

	PART NUMBER	SAP CODE	PRODUCT	INCLUDED IN
	AUTEL-CSC0601/01	100001265	VAG Pattern Board V1, Target board	
	AUTEL-CSC0601/02	100000966	MERCEDES LDW SYSTEM, Target board	Target Box V2 Target Box V3
	AUTEL-CSC0601/19	100001054	Mercedes LDW2, Target board	Target Box V3
	AUTEL-CSC0601/07	100001264	HYUNDAI/KIA/JEEP/FIAT LDW PATTERN, Target board	
	AUTEL-CSC0601/09	100000965	Hyundai KIA LDW2, Target board	Target Box V2 Target Box V3
	AUTEL-CSC0601/18	100001974	Hyundai KIA LDW3, Target board	
	AUTEL-CSC0701/23	100001261	HYUNDAI/KIA LDW AIDS, Target board	Target Box V3
	AUTEL-CSC0601/03	100000967	NISSAN LDW SYSTEM, Target board	Target Box V2 Target Box V3

LANE DEPARTURE WARNING (LDW) TARGETS & PATTERNS

	PART NUMBER	SAP CODE	PRODUCT	INCLUDED IN
	AUTEL-CSC0601/06	100000973	NISSAN, INFINITI LDW SYSTEM, Target board	Target Box V2 Target Box V3
	AUTEL-CSC0601/04	100001031	Nissan Infiniti LDW3, Target board	Target Box V3
	AUTEL-CSC0611/07	100003709	Tesla LDW, Target board	
	AUTEL-CSC0601/12	100001033	Mazda LDW1, Target board	Target Box V3
	AUTEL-CSC0601/13	100001035	Mazda LDW2, Target board	Target Box V3
	AUTEL-CSC0601/11	100000964	TOYOTA LEXUS LDW1, TARGET BOARD	Target Box V2 Target Box V3
	AUTEL-CSC0601/11/01	100001927	Toyota Lexus LDW1 V2, Target board	
	AUTEL-CSC0601/15	100000963	TOYOTA LEXUS LDW2, TARGET BOARD	Target Box V2 Target Box V3
	AUTEL-CSC0601/25	100001704	TOYOTA LEXUS LDW3, TARGET BOARD	
	AUTEL-CSC0601/05	100000969	HONDA LDW SYSTEM, TARGET BOARD	Target Box V2 Target Box V3
	AUTEL-CSC0601/08	100000968	HONDA LDW SYSTEM2, TARGET BOARD	Target Box V2 Target Box V3
	AUTEL-CSC0601/24	100001392	HONDA LDW3_1ST GEN FRAME, TARGET BOARD	
	AUTEL-CSC0601/24/01	100001750	HONDA LDW3_IA600_MA600, TARGET BOARD	
	AUTEL-CSC0601/23	100001810	SUZUKI LDW1, TARGET BOARD	
	AUTEL-CSC0601/10	100001262	ALFA-ROMEO LDW, TARGET BOARD	
	AUTEL-CSC0601/22	100001049	MITSUBISHI LDW, TARGET BOARD	Target Box V3
	AUTEL-CSC0611/03	100002301	MASERATI ADAS/PAPER/TARGET BOARD	



LANE DEPARTURE WARNING (LDW) TARGETS & PATTERNS

	PART NUMBER	SAP CODE	PRODUCT	INCLUDED IN
	AUTEL-CSC0601/14/01	100003075	Subaru LDW1, Target board	
	AUTEL-CSC0601/17	100001824	Subaru LDW2, Target board	
	AUTEL-CSC0611/05	100003705	Subaru LDW3, Target board	
	AUTEL-CSC0601/27	100001854	Daihatsu LDW_Stereo Camera, Target board	
	AUTEL-CSC0601/26	100001991	DAIHATSU LDW_CAMERA, TARGET BOARD	
	AUTEL-CSC 0708 /01/02	204002274	VOLVO LDW Calibration Tool	
	AUTEL-CSC0601/02	100000933/100000966	MERCEDES LDW SYSTEM, Canvas	
	AUTEL-CSC0601/28	100002023	SUZUKI LDW2, CANVAS	
	AUTEL-CSC0601/10	100001422	ALFA-ROMEO LDW, CANVAS	*Can only be used with 1st Generation ADAS.*
	AUTEL-CSC0601/14	100001080	SUBARU LDW1, CANVAS	
	AUTEL-CSC0601/17	100001846	SUBARU LDW2, CANVAS	



ADAPTIVE CRUISE CONTROL (ACC)

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC0602/01	100000902	ACC REFLECTOR V1, GLASS
	AUTEL-CSC0802/01 CORNER REFLECTOR AUTEL-CSC0800 CALIBRATION STAND	100000915	TOYOTA ACC CORNER REFLECTOR PACKAGE
	AUTEL-CSC0802/13	100003727	LASER FOR CORNER REFLECTOR
	AUTEL-CSC0802/10	100003724	CORNER REFLECTOR FOR TOYOTA HONDA SUBARU
	AUTEL-CSC0802/11	100003725	CORNER REFLECTOR FOR MAZDA & HYUNDAI
	AUTEL-CSC0802/12	100003726	CORNER REFLECTOR FOR MITSUBISHI
	AUTEL-CSC0805/02	100001270	HONDA BSD CALIBRATION (CAMERA-BASED)
	AUTEL-CSC0802/03	100001271	HITACHI ACC LASER RADAR CALIBRATION
	AUTEL-CSC0802	100001272	CALIBRATION SUPPORT
	AUTEL-CSC0602/03	100002007	DAIHATSU ACC RADAR CALIBRATION
	AUTEL-CSC0602/02	100000920	NISSAN INFINITI RADAR CALIBRATION PLATE
	AUTEL-CSC0602/08	100001101	VM RADAR CALIBRATION BOARD
	AUTEL-CSC0602/04	100001920	VW LASER RADAR CALIBRATION BOARD
	AUTEL-CSC0605/01	100000937	BSW RADAR CALIBRATION BOX
	AUTEL-CSC0802/04	100001133	TOYOTA LASER RADAR REFLECTOR
	AUTEL-CSC0708/02	204002273	VOLVO ACC CALIBRATION TOOL

NIGHT VISION (NV) TOOLS

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC0603/01/VW	100000936	NV Calibrator_VW, Audi, GM, and Porsche
	AUTEL-CSC0803/01/BENZ	100000935	NV Calibrator (Benz)
	AUTEL-CSC0603/03/Canvas	100001921	Lexus Night Vision, Canvas
	AUTEL-CSC0603/03/BOARD	100001953	LEXUS NIGHT VISION, TARGET BOARD
	AUTEL-CSC0G00/06	100002234	Night Vision Accessary


AROUND VIEW MONITORING (AVM)

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC0804 AUTEL-CSC0804/03	100003729	TOYOTA AVM, TARGET BOARD
	AUTEL-CSC0804/01 PATTERN AUTEL-CSC0804/02 HOLDER	100000923	TARGET PLT&BRCKT,VW AVM
	AUTEL-CSC0806/01	100000921	VW-RCW AVM PATTERN, CANVAS
	AUTEL-CSC1004/02 AUTEL-CSC1004/03	100000919	HONDA AVM PATTERN, CANVAS
	AUTEL-CSC1004/06	100000914	CADILLAC AVM PATTERN, CANVAS
	AUTEL-CSC1004/05	100000909	FORD-AVM PATTERN, CANVAS
	AUTEL-CSC1004/07	100000913	PORSCHE-AVM PATTERN, CANVAS
	AUTEL-CSC1004/01	100000916/100001389	VW, PORSCHE, ETC.-AVM PATTERN, CANVAS
	AUTEL-CSC1004/08	100001048	PSA AVM PATTERN, CANVAS


REAR COLLISION WARNING (RCW)

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC1006/01	100000911	Benz Reverse Image System Calibration, Canvas
	AUTEL-CSC1006/05	100001030	Nissan Reverse Image System Calibration Pattern3, Canvas
	AUTEL-CSC1006/03	100001010	Nissan RCW Pattern 2, Canvas
	AUTEL-CSC1006/02 AUTEL-CSC1006/02/01 AUTEL- CSC1006/02/02	100001971	Benz RCW2, Target board
	AUTEL-CSC1006/04	100000912	Nissan Reverse Image System Calibration pattern,China


HEAD-UP DISPLAY (HUD)

	ITEM CODE	SAP CODE	PRODUCT
	AUTEL-CSC0707	100002156	Support HUD calibration for VW/AUDI

AVM CALIBRATION

	PART NUMBER	SAP CODE	PRODUCT
	AUTEL-CSC1004/20	100002034	360 PANORAMA MG, CANVAS
	AUTEL-CSC1004/18 AUTEL-CSC1004/18-01(X2) AUTEL-CSC1004/18-02(X2)	100002032	360 PANORAMA BYD,CANVAS
	AUTEL-CSC1004/09	100001051	MITSUBISH 360 PANORAMIC IMAGE SYSTEM CALIBRATION PATTERN, CANVAS
	AUTEL-CSC1004/10 AUTEL-CSC1004/10-A(X6) AUTEL-CSC1004/10-B(X2) AUTEL-CSC1004/10-C(X4) AUTEL-CSC1004/10-D(X2)	100001523	TOYOTA 360 PANORAMIC IMAGE SYSTEM CALIBRATION PATTERN, STRIPECANVAS
	AUTEL-CSC1004/04 AUTEL-CSC1004/04-1(X4) AUTEL-CSC1004/04-2(X2) AUTEL-CSC1004/04-3(X2)	100001903	HYUNDAI/KIA 360 PANORAMA, CANVAS
	AUTEL-CSC1004/11	100001989	NISSAN 360 PANORAMA, TARGET BOARD
	AUTEL-CSC1004/25	100002410	ADAS/PAPER/CANVAS/FOR LDV/360 PANORAMA
	AUTEL-CSC1004/01	100000916/100001389	VW, PORSCHE, ETC.-AVM PATTERN, CANVAS

WHEEL-ALIGNMENT AND ADAS VERSION COMPARISON CHART







TECHNICAL SPECIFICATIONS	IA1000	IA900WA
SELLING POINTS	FULLY AUTOMATIC SOLUTION DIGITAL TAGRET + AVM GUIDED PLACEMENT	2-IN-1: WHEEL ALIGNMENT + ADAS CALIBRATION AUTOMETIC LIFTING
EQUIPPED DRIVER	8 UPGRADED	1
EQUIPPED CAMERA	6	6
ARM FOLDED (W*D*H)	800*1000*1900MM UPGRADED	860*1240*1995MM
ARM EXTENDED (W*D*D)	2700*1000*1900MM UPGRADED	2760*1240*1995MM
ARM UP-TO-DOWN	2500-300MM UPGRADED	2175-325MM
FRAME UP-TO-DOWN	2770-1670MM UPGRADED	2580-1880MM
PITCH/ROLL/YAW AUTOMATIC FINE TUNNING	AUTO UPGRADED	MANUAL
AUTOMATIC LIFTING	✓	✓
DIGITAL TARGET	✓ UPGRADED	✗
AVM GUIDED LASER	✓ UPGRADED	✗
TARGET VALIDATION	✓ UPGRADED	✗
WHEEL-ALIGNMENT AND ADAS	✓	✓
UNLEVELFLOOR COMPENSATION	✓	✓
COLLAPSIBLE CROSSBAR	✓	✓
TABLET COMPATIVILITY	MAXISYS ULTRA SERIES	MAXISYS ULTRA SERIES







ADAS VERSION COMPARISON CHART


TECHNICAL SPECIFICATIONS	IA600 CAMERA VERSION	IA600 LASER VERSION	1ST GEN CAMERA VERSION
FOLDABLE FRAME	✓	✓	✗
TARGET SCENARIO	MOBILE	MOBILE	IN SHOP
DISTANCE MEASUREMENT	AUTO	MANUAL	AUTO
WHEEL PRE-CHECK	✓	✗	✓
SELF ACCURACY CHECK	✓	✗	✓
UNLEVEL FLOOR COMPENSATION	✓	✗	✓
LDW, ACC, AVM, RCW, BSD, NVS CALIBRATION	✓	✓	✓
CAR SELECTION METHOD	AUTO VID	AUTO VID	AUTO VID
FINE TUNING	MANUAL FINE-TUNING	MANUAL FINE-TUNING	MANUAL FINE-TUNING
AUTOMATIC LIFTING	✗	✗	✓
TABLET COMPATIBILITY	MAXISYS ULTRA SERIES, MAXISYS 908 SERIES, MAXISYS 906 SERIES	MAXISYS ULTRA SERIES, MAXISYS 908 SERIES, MAXISYS 906 SERIES	MAXISYS ULTRA SERIES, MAXISYS 908 SERIES, MAXISYS 906 SERIES

AUTEL

LINE MAXI ALIGN

A STREAMLINED SOLUTION FOR WHEEL ALIGNMENT

The Autel MaxiALIGN line is dedicated to wheel alignment — built specifically for tyre shops and service bays where alignment is a core, high-frequency operation.

Designed for speed, precision, and ease of operation, it gives alignment specialists a dedicated workflow that fits the pace and demands of a high-throughput tyre bay.

Faster turnaround and consistent, documented results translate directly into more jobs completed per day and a stronger value proposition for the end customer.





MAXIALIGN IWA500

The Autel IWA500 is an intelligent, tablet-controlled wheel alignment system designed to deliver affordable, fast, and accurate results with exceptional ease of use. It streamlines the entire workflow from automatic vehicle identification and setup through guided adjustments and final reporting, supported by industry leading Autel vehicle coverage and OE-sourced specifications.

With 3D self-calibrating camera technology, advanced measurement visualization, and built-in mechanical diagnostics, the IWA500 gives every technician the ability to perform high-quality alignments with confidence. Shops gain greater productivity, consistent accuracy, and a modern wheel alignment solution that fits seamlessly into today's busy service environment.

TECHNICAL SPECIFICATIONS

FRAME DIMENSIONS - UNFOLDED	2671.60 x 1016.74 x 2406 mm
FRAME DIMENSIONS - FOLDED	1010 × 1110 × 1456 mm
CALIBRATION FRAME HEIGHT RANGE	1456–2406 mm
CROSSBAR HEIGH RANGE	300–2200 mm
CROSSBAR LENGTH	2671.60 mm
SINGLE CAMERA PIXEL	3072*2048
CAMERA NUMBERS	5

FEATURES:


HIGHLY EFFICIENT	Complete more alignments per day with greater consistency and confidence
WIDE COVERAGE	The latest OE-sourced alignment specifications across European, Asian, and emerging EV platforms.
INTUITIVE OPERATION	Step-by-step graphical guidance
ACCURATE	Measurements with 0.02° accuracy
COMPREHENSIVE DATA	A complete, professional-level vehicle assessment.
STREAMLINED WORKFLOW	Integrated Wheel-alignment-specific diagnostics, SAS calibration, and wheel alignment

INCLUDES:

- 24 months Warranty

MAXIALIGN IWA500 KIT

1.1



1.2




1.3



CSC0500/08

1.4



CSC0500/19+16

1.5



CSC0500/26 + 27

2.1



2.2



2.3




INCLUDES		PRODUCT NAME
IWA500 MAIN FRAME	1.1	IWA500 MAIN FRAME
	1.2	TABLET HOLDER
	1.3	DISTANCE TARGET
	1.4	4 RIM CLAMPS
	1.5	STEERING LOCK, WEDGE BLOCK, BRAKE BLOCK

INCLUDES		PRODUCT NAME
MAXI ALIGN TABLET	2.1	MAXI ALIGN TABLET MAIN UNIT
	2.2	MAXIVCI V200
	2.3	CARRYING BOX AND CABLES

MAXIALIGN IWA500 KIT WITH CABINET

1.1



1.2



1.3



CSC0500/08

1.4



CSC0500/19+16

1.5



CSC0500/26 + 27

2.1



2.2



2.3



3



CSC050B/01

4



CSC050B/02

INCLUDES		PRODUCT NAME
IWA500 MAIN FRAME	1.1	IWA500 MAIN FRAME
	1.2	TABLET HOLDER
	1.3	DISTANCE TARGET
	1.4	4 RIM CLAMPS
	1.5	STEERING LOCK, WEDGE BLOCK, BRAKE BLOCK

INCLUDES		PRODUCT NAME
MAXI ALIGN TABLET	2.1	MAXI ALIGN TABLET MAIN UNIT
	2.2	MAXIVCI V200
	2.3	CARRYING BOX AND CABLES
CABINET	3	ADAS STORAGE TROLLEY
	4	TROLLEY WHEEL CLAMP RACK

AUTEL

LINE MAXIIM

KEY PROGRAMMING

The new tools of the MaxiIM line are designed to integrate advanced diagnostics, key programming and advanced maintenance services in one tool.

Thanks to their different key learning modes it is possible to choose the fastest method for every need: **Smart mode, easier and more intuitive** for quick programming and **Expert mode for advanced key learning.**

MaxiIM line tools are OE-level diagnostic tools and can perform IMMO functions for most European, Asian and American vehicles.

Thanks to the **XP400PRO programmer and the MaxiFlash**, it is possible to carry out key programming at a professional level.

MaxiIM line is based on the diagnostic system of the MaxiSys line and uses the Android **Android™ 10.0 & 11.0** OS with 64 or 128 GB internal memory, as well as a 7 or 10.1 inch LCD touchscreen.

An important feature of this line is the enhanced lithium battery which extends its autonomy compared to other diagnostic tools.





MAXIIM IM508S

MaxiIM IM508s is a fast, easy-to-use, and ultraportable immobilizer and key programming device. The Android-based touchscreen tablet features powerful quad-core processor, intuitive design and straight-forward interface. Equipped with XP200 key programmer, IM508s is capable of providing extraordinary service functions for the immobilizer system.

Together with the ability to quickly diagnose all modules of the majority of brands and models on the market, IM508s provides you with superior special functions.

XP200 included.

FEATURES:

- Key programming
- DTC reading & Clearing
- Live data
- Active test
- Service Fucntions

TECHNICAL SPECIFICATIONS

PROCESSOR	Quad core
OPERATING SYSTEM	Android 11
MEMORY	64GB
BATTERY	5000 mAh
DISPLAY	7 inches, 1024 x 600

OPTIONAL FEATURES

ON BENCH KEY PROGRAMMING



MAXIIM IM608 PRO II

The MaxiIM IM608 PRO II is an all-in-one tool that combines advanced key programming, all systems diagnostics, and advanced services.

It is equipped with XP400 PRO key programmer and MaxiFlash JVCI+ to provide a complete IMMO coverage. Thanks to its high performance it is able to quickly diagnose all modules for the majority of makes and models on the market.

XP400 PRO included.

FEATURES:

- Advanced Key programming
- On Bench Key Programming package
- DTC reading & Clearing
- Coding
- Live data
- Active test
- Service Fucntions

TECHNICAL SPECIFICATIONS

PROCESSOR	Octa-Core
OPERATING SYSTEM	Android 10
MEMORY	128GB
BATTERY	15000 mAh
DISPLAY	10.1 inches, 1920 x 1200

OPTIONAL FEATURES

VIDEOSCOPE

MATCHING TOOLS



MAXIVIDEO MV 105S/108S



MAXIIM KM100

KM100 is a professional advanced key tool that integrates such functions as universal key generation, transponder reading/cloning and IMMO learning in a compact and easy-to-use design.
Equipped with V200 vehicle communication interface device, this professional key tool easily offers you one-stop service from universal key generation to key learning. It is undoubtedly the ideal choice for locksmiths.

FEATURES:

- Key programming
- Built-in key sensing frame
- Built-in transponder programming frame
- Built-in ignition switch sensing frame

TECHNICAL SPECIFICATIONS

PROCESSOR	Rockchip PX30 (1.5GHz)
OPERATING SYSTEM	Android™ 9.0
MEMORY	64GB
BATTERY	4950mAh lithium-polymer battery
DISPLAY	5.5-inch screen

AUTEL SOFTWARE & UPDATES

LIFETIME FREE SOFTWARE UPDATES

MAXIIM KM100 PROGRAMMABLE KEYS

The Autel IKEY is a universal programmable smart key that can be programmed to replace smart keys for more than 3000 vehicles. Each product passes all the relevant quality checks with near perfect pass rate in the field test, ensuring our leading position in terms of the protocol accuracy in the industry. The IKEY is OE-quality, multi-frequency (315M/433M and 868M/915M) programmable smart key that supports two to seven button configurations. Use the KM100 tablet to program the IKEY for supported vehicles in one minute.

RAZOR LINE

Premium Quality - Powerful Functions

IKEYBW003AL

NUMBER OF BUTTONS	3 keys
KEY FUNCTIONS	Unlock, Lock, Trunk
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	69.3g (with Blades)
BATTERY LIFE	>1 year



IKEYBW004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	69.3g (with Blades)
BATTERY LIFE	>1 year



PREMIUM LINE

Proven aesthetics - comprehensive appearance options

IKEYCL004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Remote start, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	46g (with Blades)
BATTERY LIFE	>1 year



IKEYCL005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote, start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	46g (with Blades)
BATTERY LIFE	>1 year



IKEYGM004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	43.4g (with Blades)
BATTERY LIFE	>1 year



IKEYGM005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote, start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	43.4g (with Blades)
BATTERY LIFE	>1 year



IKEYHD004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	49g (with Blades)
BATTERY LIFE	>1 year



IKEYHD004BL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Left sliding door, Right sliding door
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	49g (with Blades)
BATTERY LIFE	>1 year



IKEYHD005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote, start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	49g (with Blades)
BATTERY LIFE	>1 year



IKEYHY003AL

NUMBER OF BUTTONS	3 keys
KEY FUNCTIONS	Unlock, Lock, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	50.7g (with Blades)
BATTERY LIFE	>1 year



IKEYHY004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock,Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	52.6g (with Blades)
BATTERY LIFE	>1 year



IKEYFD005AH

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote start, Trunk, Panic
FREQUENCY	868/915 MHz
BATTERY	CR2450
WEIGHT	55g (With Blades)
BATTERY LIFE	>2 year



IKEYFD004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2450
WEIGHT	55g (With Blades)
BATTERY LIFE	>2 year



IKEYFD005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2450
WEIGHT	55g (With Blades)
BATTERY LIFE	>2 year



IKEYFD004AH

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic
FREQUENCY	868/915 MHz
BATTERY	CR2450
WEIGHT	55g (With Blades)
BATTERY LIFE	>2 year



IKEYOL004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	33g (With Blades)
BATTERY LIFE	>2 year



IKEYOL005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	33g (With Blades)
BATTERY LIFE	>2 year



IKEYNS003AL

NUMBER OF BUTTONS	3 keys
KEY FUNCTIONS	Unlock, Lock, Trunk
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	33g (With Blades)
BATTERY LIFE	>1 year



IKEYNS004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	33g (With Blades)
BATTERY LIFE	>1 year



IKEYNS005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote, start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	33g (With Blades)
BATTERY LIFE	>1 year



IKEYTY8A3BL

NUMBER OF BUTTONS	3 keys
KEY FUNCTIONS	Unlock, Lock, Trunk
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34g (With Blades)
BATTERY LIFE	>1 year



IKEYVW003AL

NUMBER OF BUTTONS	3 keys
KEY FUNCTIONS	Unlock, Lock, Trunk
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	45g (With Blades)
BATTERY LIFE	>1 year



IKEYLR005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Trunk, Panic, Approach
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	70g (with Blades)
BATTERY LIFE	>1 year



STANDARD LINE

Superior cost performance - abundant button configuration options

IKEYAT002AL

NUMBER OF BUTTONS	2 keys
KEY FUNCTIONS	Unlock, Lock
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT003BL

NUMBER OF BUTTONS	3 keys
KEY FUNCTIONS	Unlock, Lock, Trunk
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT004AL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Air suspension,Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT004BL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Remote start,Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT004CL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Trunk ,Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT004DL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Cabin pre-conditioner, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT004EL

NUMBER OF BUTTONS	4 keys
KEY FUNCTIONS	Unlock, Lock, Remote start, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT006AL

NUMBER OF BUTTONS	6 keys
KEY FUNCTIONS	Unlock, Lock, Air suspension, Remote start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT006BL

NUMBER OF BUTTONS	6keys
KEY FUNCTIONS	Unlock, Lock, Left sliding door, Right sliding door, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT006CL

NUMBER OF BUTTONS	6 keys
KEY FUNCTIONS	Unlock, Lock, Remote start, Convertible top opener, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT005AL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Air suspension, Remote start, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT005BL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Remote, start, Trunk, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



IKEYAT005CL

NUMBER OF BUTTONS	5 keys
KEY FUNCTIONS	Unlock, Lock, Left sliding door, Right sliding door, Panic
FREQUENCY	315/433 MHz
BATTERY	CR2032
WEIGHT	34.6g (Without Blades)
BATTERY LIFE	>1 year



CABLE CASE INCLUDED WITH MAXIIM IM508s

CABLE CASE INCLUDED
WITH THE TOOL



INCLUDED IN THE CASE

- Main Unit
- XP200 Programmer
- Mini USB Cable
- Power Adapter
- AAC001
- APB001 (EEPROM Adapter)
- APB002 (68HC908 Adapter)
- APA001 (EEPROM Socket)
- APA001 (EEPROM Clamp Integrated MC9S12 Cable)
- K-10 Adapter
- K-20 Adapter
- H-3 Adapter
- M-17 Adapter
- Quick Reference Guide
- Packing List
- Soft Cloth
- Carrying Case (504x360x133mm)

CABLE CASE INCLUDED WITH MAXIIM IM608 PRO II

INCLUDED IN THE CASE

- MaxiFlash JVCI+
- XP400 PRO
- Main Cable v.2.0
- USB 2.0 Cable v2
- Mini USB Cable
- AC/DC Adapter (12V)
- Spare Fuse (6x30mm
- Auxiliary Power Outlet Adapter
- AAC001
- USB to Ethernet Adapter
- APC101 (USB Cable)
- APB104 (MCU_FQFP64)
- APB105 (MCU_FQFP80)
- APB106 (MCU_FQFP112)
- APB107 (MCU_FQFP144)
- APB108 (MCU_FQFP176)
- APB129 (EEPROM Adapter)
- APB125 (Mercedes Infrared Collector)
- APA002 (EEPROM Socket)
- APA101 (Signal Cable)
- APA103 (EEPROM Clamp)
- APA107 (ECU Cable)
- APA108 (MCU Cable)
- APA109 (MC9S12 Cable)
- Connect Cable
- Quick Reference Guide
- Packing List
- Carrying Case (634x170x404 mm)



MAXIIM LINE ACCESSORIES

CODE	DESCRIPTION	PRODUCT
APB300	KEY PROGRAMMER	
APB112	KEY EMULATOR	
XP400PRO	KEY PROGRAMMER	
GBOX3	SUPPORTS ON-VEHICLE AND ON-BENCH FAST MODE IN AN ALL KEYS LOST SCENARIO	
IMKPA	IMKPA EXPANDED KEY PROGRAMMING ACCESSORIES (to used with XP400PRO)	
100002014	8A CABLE SET (used with G-BOX 2 OR G-BOX 3)	

MAXIIM COMPARISON CHART



TECHNICAL SPECIFICATIONS	MAXIIM IM508s	MAXIIM IM608 PRO II
EEPROM READ/WRITE	STANDARD FUNCTIONS	ADVANCED
MCU READ/WRITE	STANDARD FUNCTIONS	ADVANCED
IMMOBILIZER READ/WRITE	STANDARD FUNCTIONS	ADVANCED
ENGINE READ/WRITE	STANDARD FUNCTIONS	ADVANCED
MERCEDES INFRARED KEY READ/WRITE	NEED XP400 PRO	✓
REMOTE FREQUENCY DETECTION	NEED XP400 PRO	✓
SMART MODE (GUIDED & AUTOMATED KEY LEARNING)	✓	✓
AUTO DETECT MAKE/MODEL/YEAR/SYSTEM	✓	✓
READ PIN(ADD KEY/ALL KEY LOST)	✓	✓
KEY GENERATION/KEY LEARNING/REMOTE LEARNING	✓	✓
IMMO ECU RESET/ADAPTION	✓	✓
IMMO ECU REFRESH	✓	✓
BACKUP/RESTORE IMMO DATA	✓	✓
ALL SYSTEMS FOR 90+ MAKES	✓	✓
MAXIFLASH JVCI+	✗	✓
CODING	✗	✓
ACTIVE TEST	✓	✓
COMPLETE SERVICE FUNCTIONS	BASIC	ADVANCED
RECHARGEABLE LI-ION BATTERY	5000 MAH	15000 MAH
INTERNET UPDATABLE	WI-FI	WI-FI
MULTILINGUAL SUPPORT	✓	✓
LIMITED ONE YEAR WARRANTY	✓	✓
TOUCHSCREEN	7-INCH	10.1-INCH
MEMORY	64GB	128GB
PROCESSOR	QUAD-CORE	OCTA-CORE
CAMERA	✗	16.0 MEGAPIXEL
RESOLUTION	1024*600	1920*1200

AUTEL

LINE MAXITPMS

TPMS SERVICE & FUNCTION: THE SMART SOLUTION

The MaxiTPMS line has been elaborately designed by AUTEL to offer high performance and intuitive technology, reprogramming capabilities and diagnostic functions.


The devices combined with the exclusive AUTEL universal MX-Sensor, guarantee coverage of up to 99% on European, Asian and American vehicles. MaxiTPMS tools represent the best solution for technicians working in the tire industry, offering a complete maintenance service and dedicated technical assistance.
Thanks to the continuous updates by AUTEL, the tool will support all vehicles and the latest models.

Expanding the horizon of the TPMS line, AUTEL introduces two new additions: the ITS600 and the TS900:

The ITS600 offers unparalleled functionality in a compact package. Equipped with advanced features such as OBDII diagnostics and tire service, this versatile tool is a game-changer for technicians seeking uncompromising performance. With its ergonomic design and intuitive interface, the ITS600 streamlines maintenance operations, ensuring maximum productivity with every use.

Meanwhile, the TS900 combines state-of-the-art technology with unmatched versatility. With a sleek design, the TS900 redefines TPMS service standards, offering high levels of accuracy and efficiency. From comprehensive diagnostic capabilities to seamless sensor programming, the TS900 sets a new benchmark for excellence in the automotive industry.





COMPATIBLE WITH
TBE200 EU

MAXITPMS ITS600

The MaxiTPMS ITS600 is the innovative tablet that offers a complete solution for tire replacement.

The ITS600 with simplified graphics, allows you to select the vehicle more quickly through automatic VIN detection, supports four programming modes of TPMS sensors (only MX-Sensor), integrates relearn functions of new sensors via OBD and has relearn guides for vehicles that need of "manual relearning" and "automatic relearning".

The ITS600 can read and relearn all sensors, copy and create Autel sensors (compatible with 99% of OE sensors) and perform diagnostics of the TPMS system. Thanks to the Wi-Fi network connection, it is possible to send reports via email and update the tool. The ITS600 may reprogram single and double frequency radio sensors (MX-Sensors) and BLE-Sensors (Bluetooth).

TECHNICAL SPECIFICATIONS

PROCESSOR	Quad-core processor 1.5 GHz
OPERATING SYSTEM	Android 9
MEMORY	64GB
BATTERY	3.8V / 5000 mAh Lithium-Polymer Battery
DISPLAY	5.5-inch LCD, 1280 x 720

AUTEL SOFTWARE & UPDATES

- PV TPMS: LIFETIME FREE SOFTWARE UPDATES
- CV TPMS: ACTIVE FEE REQUESTED, LIFETIME FREE UPDATES
- PV DIAGNOSTIC (PRO PACKAGE): ANNUAL SUBSCRIPTION

FEATURES:

- Electronic brake service
- Battery registration
- Steering angle reset
- Oil light reset
- All ECU diagnostics ("Pro Package" required)

MATCHING TOOLS



MAXITPMS TBE200 EU

TBE200 EU

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

ANNUAL SUBSCRIPTION OR TOKEN PURCHASE



MAXITPMS ITS600 CV

ITS600CV is a powerful Android tablet with a 5.5-inch touchscreen display, a quadcore processor, 64 GB storage, and a high-capacity battery. It is equipped with Bluetooth VCI for wireless tablet-to-vehicle communication.

ITS600CV provides comprehensive TPMS service for Light, Medium, and Heavy-Duty commercial vehicles, and it has industry-leading TPMS-equipped Bus, Truck, and Trailer coverage. The tool links the tractor and trailer's interfaces; provides the service each independently. It can also display up to 46 wheels and 12 axles.

ITS600CV can be upgraded to include Passenger Vehicles TPMS, CV diagnostics and service functions (additional purchase required). It can be paired with TBE200EU Tire Examiner (purchase separately) for detailed tire tread depth analysis of Light Duty Vehicles

FEATURES:

- Full CV TPMS functions
- Quickly switch between tractor and trailer screens
- Up to 46 wheels and 12 axles
- Upgrade to include Passenger Vehicles TPMS
- Includes Deutsch 6 and 9 pin, and UNI-4 DLC adapters
- Pair with TBE200EU Tire Examiner
- CV diagnostics and service functions

TECHNICAL SPECIFICATIONS

PROCESSOR	Quad-core processor 1.5 GHz
OPERATING SYSTEM	Android 9
MEMORY	64GB
DISPLAY	5.5-inch LCD, 1280 x 720
24V VOLTAGE ADAPTER	Built-in VCI

AUTEL SOFTWARE & UPDATES

- CV TPMS: LIFETIME FREE SOFTWARE UPDATES (TPMS)
- PV TPMS: ACTIVE FEE REQUESTED, LIFETIME FREE UPDATES
- CV DIAGNOSTIC: ANNUAL SUBSCRIPTION

MATCHING TOOLS



MAXITPMS TBE200 EU

TBE200 EU



MAXITPMS TS900

The MaxiTPMS TS900 is an 8-inch, three-in-one, TPMS, diagnostics, Service, wireless touchscreen tablet. The TS900 can activate, read and relearn all known TPMS sensors, including BLE sensors, and program the Autel 1-Sensor to replace 99 percent of the TPMS sensors on the road today.

The TS900 is also compatible with the Autel BLE Sensor, preprogrammed for Tesla vehicles. The TS900 offers both basic all-systems diagnostics, such as the ability to read and clear codes and view Freeze Frame and Live Data, and advanced features, such as Active Tests and Special Functions. The TS900 can generate, print, and share Pre- and Post-Scans.

The Android 11-based tablet features an extensive Service Menu providing direct access to more than 40 service functions, including Oil and Service Lights reset, Electronic Parking Brake reset, Brake Bleed, Air Bag reset, and Occupancy Seat calibration. The TS900 offers an advanced processor, 4GB operating memory, and 64 GB storage memory.

FEATURES:

- Advanced all-systems diagnostics
- Reads and clears codes and view Freeze Frame and Live Data
- Advanced features: Active Tests & Special Functions

TECHNICAL SPECIFICATIONS

PROCESSOR	Quad-core
OPERATING SYSTEM	Android 11
MEMORY	64GB
BATTERY	7700 mAh
DISPLAY	8-inch LCD screen 1280 x 800

AUTEL SOFTWARE & UPDATES

ANNUAL SUBSCRIPTION

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

ANNUAL SUBSCRIPTION OR TOKEN PURCHASE



MX-SENSOR 433 MHz

The programmable universal sensors are advanced and efficient, created specifically to replace the original sensors to guarantee the same performance both in terms of design, duration and functionality.
MX-Sensor guarantees coverage up to 99% for European, Asian and American vehicles.

Sensors availble with: ALUMINIUM and RUBBER STEMS

MX-Sensor is available in CLAMP-IN or SNAP-IN version.

INCLUDES:
- **24 months Warranty**

FEATURES:
- **Covering European, Asian and American vehicles**
- **433 MHz frequency**
- **Rubber or metal stem**
- **Clamp-in or Snap-in**
- **Reprogrammable**

TECHNICAL SPECIFICATIONS

BATTERY LIFE	>6 years
MONITORING RANGE	0 to 8 Bar
DIMENSIONS TYPE 1 (BODY)	51.97mm x 29.06mm x 22.25mm
DIMENSIONS TYPE 2 (BODY)	42.2mm x 27.9mm x 17.44mm
WEIGHT SENSOR TYPE 1	18.5g
WEIGHT SENSOR TYPE 2	12g

MATCHING VALVE STEMS



TITAN METAL VALVE	SILVER METAL VALVE	BLACK METAL VALVE
SCREW-IN VALVES		



TITAN METAL VALVE	SILVER METAL VALVE	BLACK METAL VALVE	RUBBER VALVE
PRESS-IN VALVES			

SUPPORTS DUAL FREQUENCY



1-SENSOR 4-IN-1

The 1-Sensor of Autel's MaxiTPMS line is capable of supporting dual frequencies. The 1-Sensor is universal, programmable and guarantees coverage up to 99% for European, Asian and American vehicles.

The 1-Sensor may be equipped with rubber and metal stems according to the customer's needs.

INCLUDES:

- 24 months Warranty

FEATURES:

- Covering European, Asian and American vehicles
- Dual frequencies
- Rubber or metal stem
- Clamp-in or Snap-in
- Reprogrammable

TECHNICAL SPECIFICATIONS	
BATTERY LIFE	>6 years
MONITORING RANGE	0 to 8 Bar
DIMENSIONS	42.2mm x 27.9mm x 17.4mm
WEIGHT	12 g

MATCHING VALVE STEMS



TITAN METAL VALVE	SILVER METAL VALVE	BLACK METAL VALVE	RUBBER VALVE

PRESS-IN VALVES



BLE-SENSOR 2.4 GHz (Bluetooth®)

This pre-programmed and reprogrammable Bluetooth Low Energy (BLE) sensor offers "fit & go" capability for Tesla 3/Y/S/X models.

Built to meet or exceed industry standards and tested to endure extreme temperatures, the BLE Sensor is also programmable with TS900, ITS600, and some new TPMS tools, for the latest BLE-equipped vehicles.

INCLUDES:

- 24 months Warranty

FEATURES:

- 2.4 GHz frequency (Bluetooth)
- Metal stem
- Clamp-in
- Reprogrammable

TECHNICAL SPECIFICATIONS	
BATTERY LIFE	≥6 years
PRESSURE MONITORING RANGE	0 to 8 bar
DIMENSIONS	63.6mm x 33.5mm x 22.62mm
WEIGHT	23.8g

MATCHING VALVE STEMS



TITAN METAL VALVE	SILVER METAL VALVE	BLACK METAL VALVE
SCREW-IN VALVES		



MX-SENSOR CVS-A01 WITH METAL STRAP

This universal programmable sensor is designed to replace sensors on 95% of system-equipped commercial vehicles, covering Light, Medium, and Heavy-Duty. Features a strap-style installation supports either fabric or metal straps, with the compatible with wheel rims ranging from 14 to 24.5 inches. Capable of monitoring tire pressure, temperature, acceleration, etc., and compatible with the vehicle's original relearn method.

INCLUDES:

- 24 months or 100,000 km Warranty


FEATURES:

- Covering European, Asian and American vehicles
- Maximum speed: 240 km/h
- Suitable rim size: 14-24.5 inches
- Reprogrammable

TECHNICAL SPECIFICATIONS

BATTERY LIFE	≥5 years
DIMENSIONS	54.0mm x 29.4mm x 18.1mm
WEIGHT (SENSOR BODY ONLY)	26.3 g
OPERATING RELATIVE PRESSURE	0-1.4 MPa
OPERATING TEMPERATURE	-40°C to 125°C
OPERATING FREQUENCY	433 MHz

APPLICATION AT




MATCHING STRAPS



AUTEL METAL STRAP	AUTEL FABRIC STRAP	AUTEL FABRIC STRAP
14-24.5 INCHES	14-17.5 INCHES	17.5-24.5 INCHES





MX-SENSOR CVS-A01 WITH FABRIC STRAP

This universal programmable sensor is designed to replace sensors on 95% of system-equipped commercial vehicles, covering Light, Medium, and Heavy-Duty. Features a strap-style installation supports either fabric or metal straps, with the compatible with wheel rims ranging from 14 to 24.5 inches. Capable of monitoring tire pressure, temperature, acceleration, etc., and compatible with the vehicle's original relearn method.

INCLUDES:

- **24 months or 100,000 km Warranty**


FEATURES:

- **Covering European, Asian and American vehicles**
- **Maximum speed: 130 km/h**
- **Suitable rim size: 14-24.5 inches**
- **Reprogrammable**

TECHNICAL SPECIFICATIONS

BATTERY LIFE	≥5 years
DIMENSIONS	54.0mm x 29.4mm x 18.1mm
WEIGHT (SENSOR BODY ONLY)	26.3 g
OPERATING RELATIVE PRESSURE	0-1.4 MPa
OPERATING TEMPERATURE	-40°C to 125°C
OPERATING FREQUENCY	433 MHz

APPLICATION AT



MATCHING STRAPS



AUTEL FABRIC STRAP	AUTEL FABRIC STRAP	AUTEL METAL STRAP
14-17.5 INCHES	17.5 -24.5 INCHES	14-24.5 INCHES



FULL TIME
FREE
SOFTWARE
UPDATE

MAXITPMS TBE200EU

The MaxiTPMS TBE200EU is a laser-enabled tester equipped with a 1.65" AMOLED touchscreen, that displays measurement data curves in real time. The TBE200EU is a tire tread depth examiner that provides uneven wear analysis and detailed replacement & maintenance suggestions for quick tire service.

The TBE200EU dual cameras enable users to document tire wear and damage and scan the tire identification number.
Use the tool with ITS600 to view and print detailed TPMS reports, the TBE200EU can also generate a report by itself.

INCLUDES:

- 24 months Warranty
- Lifetime Free Software update

FEATURES:

- Real-time measurement data on touchscreen
- Measurement data curve display
- Uneven wear analysis
- DOT Scan

TECHNICAL SPECIFICATIONS

PROCESSOR	4x ARM Cortex-A35
CAMERA	Dual-camera
MEMORY	4GB
BATTERY	3000mAh
DISPLAY	1.65-inch AMOLED

MATCHING TOOLS



MAXITPMS ITS600




MAXITPMS ITS600 CV

MAXITPMS ACCESSORIES

DESCRIPTION	COMPATIBILITY	PRODUCT
BLACK METAL VALVE SCREW-IN	BLE SENSOR MX-SENSOR ONE SENSOR	
SILVER METAL VALVE SCREW-IN	BLE SENSOR MX-SENSOR ONE SENSOR	
TITAN METAL VALVE SCREW-IN	BLE SENSOR MX-SENSOR ONE SENSOR	
BLACK RUBBER VALVE PRESS-IN	MX-SENSOR ONE SENSOR	
SILVER METAL VALVE PRESS-IN	MX-SENSOR ONE SENSOR	
BLACK METAL VALVE PRESS-IN	MX-SENSOR ONE SENSOR	
TITAN METAL VALVE PRESS-IN	MX-SENSOR ONE SENSOR	

MAXITPMS COMPARISON CHART







TECHNICAL SPECIFICATIONS	TS900	ITS600	TS508WF
EASY VEHICLE IDENTIFICATION	AUTO-VIN/ AUTO-SCAN/ PLATE SCAN/ IMAGE SCAN/ MANUALLY SELECT&INPUT	AUTO-VIN/ AUTO-SCAN/ PLATE SCAN/ IMAGE SCAN/ MANUALLY SELECT&INPUT	MANUALLY SELECT
ACTIVE&PROGRAMMING&RELEARN BLE TPMS SENSORS	✓	✓	✗
ACTIVE&PROGRAMMING&RELEARN RF(315/ 433MHZ) TPMS SENSORS	✓	✓	✓
TPMS DIAGNOSTICS	ENHANCED TPMS STATUS SCREEN	ENHANCED TPMS STATUS SCREEN	TPMS STATUS SCREEN
RELEARN PROCEDURE	3 METHODS	3 METHODS	3 METHODS
AUTEL RF TPMS SENSOR BATCH PROGRAMMING	UP TO 20 SENSORS	UP TO 20 SENSORS	UP TO 16 SENSORS
PROGRAMMING METHODS	4 METHODS MX-SENSORS ONLY	4 METHODS MX-SENSORS ONLY	4 METHODS MX-SENSORS ONLY
CHECK MX-SENSOR INFORMATION (ID, BATTERY, ETC.)	✓	✓	✓
TIRE PRESSURE PLACARD VALUE RESET	✓	✓	✓
READ/CLEAR CODES FOR TPMS SYSTEM	✓	✓	✓
TEST REPORT	✓	✓	VIEW ON PC
ALL SYSTEM DIAGNOSTICS	✓	ITS600: OLS, SAS, BMS, EPB ITS600 PRO: ALL SYSTEM DIAGNOSTICS	/
ALL MAINTENANCE SERVICE	38+ SERVICE FUNCTIONS	ITS600: OLS, SAS, BMS, EPB; ITS600 PRO: ALL SYSTEM DIAGNOSTICS 20+ SERVICE FUNCTIONS	/
BATTERY ANALYSIS	✗	✓	✗
CONNECTION	BLUETOOTH VCI-150	BLUETOOTH VCI-200	OBD II CABLE
SCREEN	8-INCH TOUCHSCREEN 1280*800 PIXEL	5.5-INCH TOUCHSCREEN 1280*720 PIXEL	2.8-INCH DISPLAY 320*240 PIXEL
BATTERY	7700MAH	5000MAH	3000MAH
PROCESSOR	QUAD-CORE (1.8 GHZ)	QUAD-CORE (1.5 GHZ)	/
MEMORY	64G ROM/ 4G RAM	2GB RAM	/
CAMERA	8.0MP	8.0MP	/
OPERATION SYSTEM	ANDROID 11	ANDROID 9.0	EASY TOOL NAVIGATION

AUTEL

LINE MAXIEV

POWER BATTERY EXPERT

The Autel MaxiEV product line is a specialized range tailored to the repair and maintenance processes of high-voltage batteries in electric vehicles. With these tools, tasks such as module capacity testing, voltage matching after module replacement, cell voltage balancing within modules, and sealing tests after battery reassembly become achievable.

Thanks to Autel's innovative product capabilities, when paired with the EV series tablets from the MaxiSYS product line, the framework for a complete workflow from diagnosis to repair of electric vehicles takes shape.





MAXIEV CDT100

The Autel MaxiEV CDT100 is a specialized tool designed for testing and charging/discharging modules in high-voltage battery packs. With this tool, you can perform capacity testing before module replacement, monitor individual cell voltages, conduct transportation discharges, and achieve voltage matching during module replacement. The 24-channel individual cell voltage sampling, which supports up to 18V, covers the vast majority of modules available on the market. Thanks to Autel's innovative capabilities, when using the MaxiSYS Line EV series tablet, you can connect the tablet to perform Module State of Health (SOH) evaluation. As a result, the MaxiEV CDT100 also serves as a reliable assistant for evaluating second-hand module transactions and incoming material inspections before repairs.

FEATURES:

- Max. 18V single-cell sampling
- Multi-channel temperature monitoring
- Module charging and discharging
- Multiple protections

TECHNICAL SPECIFICATIONS

CHARGE-DISCHARGE VOLTAGE RANGE	DC 2-285V
ACCURACY	±0.5 FS
CELL VOLTAGE RANGE	0-5V
CELL VOLTAGE ACCURAGE	0.001V
DISCHARGE CURRENT RANGE	150A/7.2kW Max
DISCHARGE CURRENT ACCURACY	±1 FS
CHARGE CURRENT RANGE	100A/4.4kW Max.
CHARGE CURRENT ACCURACY	±1 FS
POWER SUPPLY	AC 110/220V
WORKING MODE	Discharge, charge, activation
DEVICE SAFETY	Multi-protection of DC input overvoltage, reverse connection, discharge overcurrent, system overtemperature

OPTIONAL FEATURES

MODULE SOH ASSESSMENT (MAXISYS EV TABLET REQUIRED)



MAXIEV BCE100

The Autel MaxiEV BCE100 is a professional tool designed for balancing the cell voltages with module. It can be used both for the routine maintenance balancing to correct voltage imbalances caused by temperature differences, and for ensuring consistent cell voltages during the installation or replacement of high-voltage battery modules, thereby maximizing the available capacity of the module.

When used together with the MaxiEV CDT100, it forms a complete module maintenance system.

FEATURES:

- Max. 5V single-cell sampling
- Multi-channel temperature monitoring
- Cell charging and discharging
- Cell Balancing
- Multiple protections

TECHNICAL SPECIFICATIONS

CHARGE-DISCHARGE VOLTAGE RANGE	DC 1.8–5 V
DISCHARGE CURRENT RANGE	0.1–5 A
VOLTAGE MEASUREMENT ACCURACY	±0.1% FS ±2 mV (max. 5 V)
CURRENT MEASUREMENT ACCURACY	±1% FS ±0.05 A (max. 5 A)
POWER CONSUMPTION (MAX.)	600 W
NUMBER OF CELL CHANNELS	2 × 12 or 1 × 24
AC POWER SUPPLY	AC 110/220 V; confirm EU nameplate and frequency



MAXIEV ATL100L

The Autel MaxiEV ALT100L is a vital device for sealing detection after the repair and reassembly of power batteries. You can input the test process parameters according to the airtightness testing requirements of different manufacturers. This device can automatically complete the airtightness detection with a single click and provide a report. It is also suitable for sealing detection of cooling pipelines that can accept positive pressure airtightness testing

FEATURES:

- Positive pressure testing
- Automated testing process
- Dual Pressure Display
- Audible and visual abnormal warning

TECHNICAL SPECIFICATIONS

TEST POWER	20W Max
TEST PRESSURE RANGE	0-30 KPa
SENSOR RESOLUTION	1 Pa
TEST ACCURACY	±5 Pa
COMMUNICATION PORT	RS-232 / USB
DATA STORAGE	Internal memory / Download via USB disk
POWER SUPPLY	AC 220V.
AIR SUPPLY	0.1 - 1.0 MPa Dry Compressed air
AIR INLET PORT/TEST PORT	ϕ6mm air pipe/ϕ6mm air pipe
WORK TEMPERATURE/HUMIDITY	10%-90% @25°C, without condensation

AUTEL

LINE MAXIBAS

ADVANCED DIAGNOSTICS FOR BATTERIES

Autel's MaxiBas system is ideal for diagnosing individual vehicle batteries. With advanced diagnostic methods and in-depth testing, it can accurately determine the battery's actual condition.

It can immediately identify the vehicle information and proceed with special tests for a professional analysis.

Autel manufactures specific products to provide the customer with an excellent service.

The BT609 with active conductance, an innovative method of analysis, makes precise measurements to be observed through its 7-inch touchscreen.

The BT608 combines battery and electrical system testing with diagnostic data recording. Its 5.5-inch touchscreen provides a clear view of test results and vehicle diagnostic information, helping technicians assess battery condition and troubleshoot electrical system issues.

Several other products and accessories complete the MaxiBas line and are equipped with the best Autel diagnostic and detection systems.





MAXIBAS BT609

The MaxiBAS BT609 wireless battery and diagnostics system applies Adaptive Conductance, an advanced battery analysis method that produces a more accurate examination of the battery's cold cranking ability and reserve capacity, vital to determining a battery's true health. The 7-inch Android touchscreen tablet can display a quick health status of the existing battery, register a new battery and perform advanced battery and electrical system diagnostics.

The BT609 supports AutoVIN function to immediately identify vehicle and battery information, displays graphic instructions for positioning, performs tests, read/clear codes on all available vehicle systems and perform common maintenance services. MaxiBAS BT609, thanks to the Wi-Fi connection, prints and shares personalized reports.

FEATURES:

- Auto VIN
- Read & Erase DTCs
- Service Function
- 11 Battery Ratings covered
- 5 Battery Types covered
- Battery registration
- Battery Health Report
- Battery Location Diagrams
- Temperature Compensation

TECHNICAL SPECIFICATIONS

OPERATING SYSTEM	Android 9
MEMORY	2 GB RAM & 64 GB ROM
DISPLAY	7 inches, 1280 x 800
CAMERA	8 megapixel
BATTERY	5800 mAh

OPTIONAL FEATURES

- MULTIMETER
- AMP CLAMP

OEM-AUTHORIZED SECURITY GATEWAY ACCESS

Now available on: FCA, Maserati, Renault, Nissan, Mercedes-Benz, VAG (Excl. Porsche)

ANNUAL SUBSCRIPTION OR TOKEN PURCHASE

MATCHING TOOLS



CURRENT CLAMP



MEMORY SAVER



FREE
UPDATE INCLUDED

MAXIBAS BT608

Autel's MaxiBAS BT608 is not only an advanced battery analysis system, but also the first multifunctional tool that performs: check of the charging system, check of the starting system, car ECU diagnostics. The 5.5" touchscreen and user friendly interface make it easier and faster to search for functions.

Autel's MaxiBAS BT608 allows complete battery test and registration and includes diagnostic functions such as DTC reading and diagnosis on all ECU modules.

FEATURES:

- Auto VIN
- Read & Erase DTCs
- 11 Battery Ratings covered
- 5 Battery Types covered
- Battery registration
- Battery Health Report
- Battery Location Diagrams
- Temperature Compensation
- Built-In Printer

TECHNICAL SPECIFICATIONS

OPERATING SYSTEM	Android 9
MEMORY	32 GB
DISPLAY	5.5 inches, 720 x 1280
CAMERA	8 megapixel
BATTERY	3000 mAh

OPTIONAL FEATURES

- MULTIMETER
- AMP CLAMP

MATCHING TOOLS



BATTERY TESTER ACCESSORY KIT



MEMORY SAVER



MAXIBAS BT508

The BT508 is powerful yet, lightweight battery and electrical system tester that uses Adaptive Conductance, an advanced battery analysis method, to produce a more accurate examination of the battery's cold cranking ability and reserve capacity, vital to determining a battery's true health. Download the free and easy-to-use mobile app, available for iOS and Android devices, to use with the BT508 to perform testing and display test results. The BT508 package includes a wireless Bluetooth vehicle communication interface enabling battery and electrical component registration.

FEATURES:

- Auto VIN
- 11 Battery Ratings covered
- 5 Battery Types covered
- Battery registration
- Battery Health Report
- Battery Location Diagrams
- Temperature Compensation

TECHNICAL SPECIFICATIONS

CONNECTIVITY	USB 2.0, Bluethooth
INPUT VOLTAGE	5 V
VOLTAGE RANGE	1.5~16V
DIMENSIONS	107 x 75 x 26 mm
WEIGHT	320 g

MATCHING TOOLS



MEMORY SAVER



MAXIBAS BT506

MaxiBAS BT506 is a battery and electrical system analysis tool that accurately analyzes its cold cranking capacity and reserve capacity. The BT506 enables technicians to view the health status of vehicle's battery and electrical system.

Download the free mobile app to perform testing and display test results.

FEATURES:

- 11 Battery Ratings covered
- 5 Battery Types covered
- Battery registration
- Battery Health Report
- Battery Location Diagrams
- Temperature Compensation

TECHNICAL SPECIFICATIONS

CONNECTIVITY	USB 2.0, Bluethooth
INPUT VOLTAGE	5 V
VOLTAGE RANGE	1.5~16V
DIMENSIONS	107 x 75 x 26 mm
WEIGHT	320 g

MATCHING TOOLS



MEMORY SAVER

POWERSCAN PS 100

The PowerScan Tool is the most revolutionary circuit tester to date.
It features electrical measurements, relay tests, continuity tests and much more: it includes a special warning function that detects the presence of bad grounding.
The PowerScan is truly the ultimate in power and affordability, allowing users to check circuitry in one single step.



INCLUDES:

- 24 months Warranty

FEATURES:

- Electrical meter
- Actuator tester
- Short circuit indicator
- Relay/diode tester
- Continuity tester

TECHNICAL SPECIFICATIONS

DISPLAY	TFT color display
OPERATING TEMPERATURE	0 to 60 °C
EXTERNAL POWER	12 or 24 V
DIMENSIONS	12.6 x 4.65 x 3.5 cm
WEIGHT	0.105 kg

MAXIBAS COMPARISON CHART



TECHNICAL SPECIFICATIONS		MAXIBAS BT609	MAXIBAS BT608	MAXIBAS BT508	MAXIBAS BT506
SOFTWARE	OPERATION SYSTEM	ANDRIOD 9.0	ANDROID 9.0	✗	✗
HARDWARE	SCREEN	7.0-INCH TOUCHSCREEEN 1280*800	5.5-INCH TOUCHSCREEN 720*1280	✗	✗
	PROCESSOR	COTEX-A35 QUAD-CORE, 1.5GHZ	COTEX-A35 QUAD-CORE, 1.5GHZ	CORTEX-M4	CORTEX-M4
	MEMORY / RAM	64GB / 2GB	32 GB / 2GB	✗	✗
	BATTERY	5800mAh	3000mAh	✗	✗
	CAMERA	8mp	8mp	✗	✗
FEATURES	CCA RANGE	100-3000 CCA	100-3000 CCA	100-2000 CCA	100-2000 CCA
	BATTERY TYPE	FLOODED, AGM, AGM SPIRAL, EFB, GEL	FLOODED, AGM, AGM SPIRAL, EFB, GEL	FLOODED, AGM, AGM SPIRAL, EFB, GEL	FLOODED, AGM, AGM SPIRAL, EFB, GEL
	BATTERY RATINGS	CCA, CA, MCA, JIS, DIN, SAE, IEC, EN, EN2, BCI, GB	CCA, CA, MCA, JIS, DIN, SAE, IEC, EN, EN2, BCI, GB	CCA, CA, MCA, JIS, DIN, SAE, IEC, EN, EN2, BCI, GB	CCA, CA, MCA, JIS, DIN, SAE, IEC, EN, EN2, BCI, GB
	BATTERY VOLTAGE	12V	12V	12V	12V
	ELECTRICAL SYSTEM	12V	12V	12V	12V
	VOLTAGE RANGE	1.5-16V	1.5-16V	1.5-16V	1.5-16V
	TEMPERATURE COMPENSATION	✓	✓	✓	✓
	BATTERY REGISTRATION	53 VEHICLE MAKES	53 VEHICLE MAKES	53VEHICLE MAKES	✗
	ELECTRICAL RESET	✓	✓	✓	✗
	SYSTEM DETECTION	AUTOVIN, VINSCAN, PLATE SCAN	AUTOVIN, VINSCAN, PLATE SCAN	AUTOVIN	-
	BATTERY LOCATION DIAGRAMS	✓	✓	✓	✓
	BATTERY HEALTH REPORT	✓	✓	✓	✓

MAXIBAS COMPARISON CHART



	TECHNICAL SPECIFICATIONS	MAXIBAS BT609	MAXIBAS BT608	MAXIBAS BT508	MAXIBAS BT506
FEATURES	BUILT-IN PRINTER	✗	✓	✗	✗
	EMAIL REPORT	✓	✓	✓	✓
	CLOUD-BASE SERVICE	✓	✓	✓	✓
	MULTIMETER	OPTIONAL	OPTIONAL	✗	✗
	AMP CLAMPS	OPTIONAL	OPTIONAL	✗	✗
DIAGNOSTIC	ALL SYSTEM DIAGNOSTICS WITH AUTOSCAN	✓	✓	✓ (ONE VEHICLE BRAND ONLY)	✗
	ALL MAINTENANCE SERVICE RESET	✓	✗	✗	✗
	DIAGNOSTIC SOFTWARE UPDATE	ANNUAL UPDATE FEE	NO ANNUAL UODATE FEE	CHARGE FOR ADDITIONAL VEHICLE BRANDS AND ANNUAL UPDAT	✗

AUTEL

LINE MAXIVIDEO

DIGITAL VISUAL INSPECTION

Autel's Specialty tools are the perfect combination of precision and innovation for your automotive endeavors. At Autel, we recognize the intricate demands inherent in modern vehicle maintenance and diagnostics. Therefore, we've meticulously curated a diverse range of specialty tools engineered to optimize your workflow and elevate operational efficiency.

Irrespective of whether you're a seasoned automotive professional, a dedicated do-it-yourself enthusiast, or a proficient technician, our selection offers state-of-the-art solutions tailored to address the unique challenges prevalent in today's automotive landscape. Delve into our comprehensive array of diagnostic scanners, service tools, and accessories, each meticulously crafted to deliver unparalleled performance, reliability, and precision.

With Autel, embrace the transformative power of technology to unlock new dimensions in automotive maintenance and diagnostics.



MAXIVIDEO MV 480

The MaxiVideo MV480, is ideal for inspecting difficult-to-reach areas with its semi-rigid flexible cable and 10-level adjustable LED light.

It features dual front and side cameras with 1920 × 1080 high resolution, a 4.1" 1200 × 720 full color LCD display, an 8.5 mm camera probe, and a built-in 2600 mAh battery.

This multipurpose videoscope is an economical solution to inspect machinery, facilities, and infrastructure in the safest, quickest and most cost-effective manner possible.



FEATURES:

- High resolution images and videos
- Dual front and side cameras
- 7X digital zoom
- 8GB SD card included

TECHNICAL SPECIFICATIONS

BATTERY	2600 mAh
BATTERY LIFE	4 hours of continuous use
DISPLAY	4.1 inches TFT LCD
DIMENSIONS	24.3 x 11.6 x 12.2 cm
WEIGHT	0.422 kg

MAXIVIDEO MV 460

The MaxiVideo MV460 is ideal for inspecting difficult-to-reach areas with its semi-rigid flexible cable and 10-level adjustable LED light.

It features a 1920 x 1080 high resolution camera, a 3.5-inch 640 x 480 full color LCD display, an 8.5 mm camera probe, and a built-in 2600 mAh battery with up to 4 hours of continuous use.



FEATURES:

- High resolution images and videos
- On-screen horizontal/vertical reverse
- 7X digital zoom
- 8 GB SD card included

TECHNICAL SPECIFICATIONS

BATTERY	2600 mAh
BATTERY LIFE	4 hours of continuous use
DISPLAY	3.5 inches TFT LCD
DIMENSIONS	23.5 x 9.7 x 12.5 cm
WEIGHT	0.393 kg

MAXIVIDEO MV105S

The MaxiVideo MV105s is the accessory that allows to inspect the engine and its components by connecting it directly to the tool.

Thanks to the reduced thickness of the probe (only 5.5 mm), it is possible to examine difficult-to-reach areas and find obstructions or faults.

SPECIFICATIONS
- Zoom 5x
- Built-in LED



TECHNICAL SPECIFICATIONS	
OPTIMAL VIEWING DISTANCE	0.95 cm to 30 cm
IMAGE HEAD	5.5 mm
WEIGHT	0.2 kg
RESOLUTION	1280 X 720
DEPTH OF FIELD	2CM TO 10CM

MATCHING TOOLS



THE ENTIRE MAXISYS LINE

SEE MAXISYS SECTION

MAXIVIDEO MV108S

The MaxiVideo MV108S is the accessory that allows to inspect the engine and its components by connecting it directly to the tool.

SPECIFICATIONS
- Zoom 5x
- Built-in LED



TECHNICAL SPECIFICATIONS	
OPTIMAL VIEWING DISTANCE	2.54 cm to 35.56 cm
IMAGE HEAD	8.5 mm
WEIGHT	0.3 kg
RESOLUTION	1920 X 1080
DEPTH OF FIELD	3CM TO 8CM

MATCHING TOOLS



THE ENTIRE MAXISYS LINE

SEE MAXISYS SECTION

MAXIVIDEO COMPARISON CHART





TECHNICAL SPECIFICS	MV460	MV480
HIGH RESOLUTION AND FULL COLOR DIGITAL LCD DISPLAY	3.5" (640 X 480)	4.1" (1200×720)
RECORD AND PLAY BACK HIGH RESOLUTION STILL IMAGES AND VIDEOS	1920 X 1080	1920 X 1080
WIRELESS MONITOR ENABLES REMOTE VIEWING	✗	✗
TOUCHSCREEN FOR CONVENIENT OPERATION	✗	✗
SINGLE BUTTON FOR QUICK PHOTO AND VIDEO RECORDING	✓	✓
ADD AUDIO ANNOTATION FOR DETAIL PRESENTATION	✗	✓
ON-SCREEN PHOTO EDITING AND MARKUP	✗	✗
DUAL CAMERAS SEE STRAIGHT AHEAD OR AT A 90° ANGLE	✗	✓
DIGITAL ZOOM FOR DETAILED VIEWING	7×	7×
VIEW OBJECTS AS CLOSE AS 1"	✓	✓
BON-SCREEN HORIZONTAL/VERTICAL REVERSE	✓	✓
ON-SCREEN 90° CLOCKWISE ROTATION	✓	✓
BUILT-IN & ADJUSTABLE LED ILLUMINATES VIEWING AREA	✓	✓
HDMI PORT FOR MONITOR VIEW	✓	✓
MINI USB CONNECTOR FOR UPLOADING IMAGES AND VIDEOS	✓	✓
1 M LONG SEMI-RIGID FLEXIBLE WATERTIGHT SHAFT	✓	✓
NARROW PROBE DIAMETER AVAILABLE IN BOTH 5.5 MM AND 8.5 MM	8.5MM (5.5MM OPTIONAL)	8.5MM (5.5MM OPTIONAL)
MICRO SD CARD SLOT FOR GREATER MEMORY CAPACITY	✓	✓
OIL AND SCRATCH RESISTANT TEMPERED GLASS LENS	✓	✓
ERGONOMIC AND DURABLE TOOL HOUSING	✓	✓
BUILT-IN RECHARGEABLE LI-ION BATTERY	✓	✓
MULTILINGUAL SUPPORT	✓	✓
WATER RESISTANT CAMERA HEAD	✓	✓



AUTEL EUROPE

GERMANY

LANDSBERGER STR. 408, 4. OG
81241 MUNICH
+49 (0) 89 540 299 608

CONTACT US

SUPPORT.EU@AUTEL.COM
SALESOFFICE.EU@AUTEL.COM
WWW.AUTEL.EU